

STATE OF ALABAMA

DEPTARTMENT OF FINANCE DIVISION OF PURCHASING

INVITATION TO BID

REQ. AGENCY : 999999

PURCHASING DIVISION

AGENCY REQ. NO.

T-NUMBER DATE ISSUED : 06/02/10

VENDOR NO.

VENDOR PHONE NO. SNAP REQ. NO. BUYER NAME : 1439496 : SUSAN JANA

FOR: TRUCK CHASSIS GVWR 19,000# & ABOVE BUYER PHONE NO. : (334) 242-7173-PURCHASING PHONE NO: (334) 242-7250

BID MUST BE RECEIVED BEFORE: DATE: 07/14/10 TIME: 5:00 PM

BIDS WILL BE PUBLICLY OPENED: DATE: 07/15/10 TIME: 10:00 AM

FAX NUMBER

TO BE COMPLETED BY VENDOR

10 E	SE COMPLETED BY A	INDOR
INFORMATION IN THIS SECTION MUST BE IN INK OR TYPED WIT	N SHOULD BE PROVII TH ORIGINAL SIGNAT	DED, AS APPROPRIATE. BID RESPONSE TURE AND NOTARIZATION.
1. DELIVERY: CAN BE MADE	DAYS OR	WEEKS AFTER RECEIPT OF ORDER
2. TERMS:(I	DISCOUNTS ARE TAKE	EN WITHOUT REGARD TO DATE OF PAYMENT.)
3. PRICE VALID FOR ACCEPTANCE	CE WITHIN	DAYS.
4. VENDOR QUOTATION REFERENCE (THIS NUMBER WILL APPEAR		
5. E-MAIL ADDRESS:		
INTERNET WEBSITE:		
6. GENERAL CONTRACTOR'S LICE	ENSE NO:	
TYPE OF G.C. LICENSE:		
BIDDERS MUST COMPLY WITH ITEM 7 - COPY REQUIREMENT	***** IMPORTANT N ALL "BID RESPONSE	NOTE: ***** E INSTRUCTIONS" ON PAGE 2, TO INCLUDE
RETURN INVITATION TO BII):	
US MAIL		COURIER
STATE OF ALABAMA DEPARTMENT OF FIN DIVISION OF PURCH P O BOX 302620 MONTGOMERY, AL 36	NANCE HASING	STATE OF ALABAMA DIVISION OF PURCHASING RSA UNION BUILDING 100 N. UNION ST., SUITE 192 MONTGOMERY, AL 36104
I HAVE READ THE ENTIRE BID A I HERBY AFFIRM I HAVE NOT BE	EEN IN ANY AGREEME	ZATION REQUIRED ISH EACH ITEM OFFERED AT THE PRICE QUOTED. ENT OR COLLUSION AMONG BIDDERS IN MENT TO BID AT A FIXED PRICE OR TO
SWORN TO AND	FEIN OR SSN	AUTHORIZED SIGNATURE (INK)
CUDCODIDED DECORE ME DUIZ	LEIN OK DON	AUTHORIZED SIGNATURE (INK)
SUBSCRIBED BEFORE ME THIS	COMPANY NAME	TYPE/PRINT AUTHORIZED NAME
DAY OF	MAIL ADDRESS	TITLE
NOTARY PUBLIC	CITY, STATE, ZI	TOLL FREE NUMBER
TEDM EVD.		

PHONE INCLUDING AREA CODE

STANDARD TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER:

PAGE

2

: 10-X-2218172 : 07/15/10 OPEN DATE 07/15/10 TIME: 10:00 AM INVITATION TO BID

T-NUMBER T193 RETURN DATE: 07/14/10 TIME: 5:00 PM

AUTHORITY:

THE DEPARTMENT OF FINANCE CODE OF ADMINISTRATIVE PROCEDURE, CHAPTER 355-4-1 EFFECTIVE DECEMBER 20, 2001 IS INCORPORATED BY REFERENCE AND MADE A PART OF T HIS DOCUMENT. TO RECEIVE A COPY CALL (334)242-7250, OR OUR WEBSITE WWW.PURCHASING.ALABAMA.GOV.

INFORMATION AND ASSISTANCE TO MINORITY AND WOMEN-OWNED BUSINESSES IN ACQUIRING M/WBE CERTIFICATION MAY BE OBTAINED FROM THE OFFICE OF MINORITY BUSINESS ENTERPRISE, 1-800-447-4191.

BID (ITB) RESPONSE INSTRUCTIONS REV: 01/14/10

- TO SUBMIT A RESPONSIVE BID, READ THESE INSTRUCTIONS, ALL TERMS, CONDITIONS AND SPECIFICATIONS.
- BID ENVELOPES/PACKAGES/BOXES MUST BE IDENTIFIED ON FRONT, PREFERABLY LOWER LEFT CORNER AND BE VISIBLE WITH THE BID NUMBER AND OPENING DATE. EACH INDIVIDUAL BID (IDENTIFIED BY A UNIQUE BID NUMBER) MUST BE SUBMITTED IN A SEPARATE ENVELOPE. RESPONSES TO MULTIPLE BID NUMBERS SUBMITTED IN THE SAME ENVELOPE/COURIER PACKAGE, THAT ARE NOT IN SEPARATE ENVELOPES PROPERLY IDENTIFIED, WILL BE REJECTED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR LATE BIDS FOR ANY REASON INCLUDING THOSE DUE TO POSTAL, OR COURIER SERVICE. BID RESPONSES MUST BE IN THE DIVISION OF PURCHASING OFFICE PRIOR TO THE "RECEIVE DATE AND TIME" INDICATED ON THE BID.
- BID RESPONSES (PAGE 1, PRICE SHEET AND ADDENDUMS (WHEN SIGNATURE IS REQUIRED)) MUST BE IN INK OR TYPED ON THIS DOCUMENT. OR EXACT FORMAT WITH SIGNATURES BEING HANDWRITTEN ORIGINALS IN INK (PERSON SIGNING BID, NOTARY, AND NOTARY EXPIRATION), OR THE BID WILL BE REJECTED. UNLESS INDICATED IN THE BID, ALL PRICE PAGES MUST BE COMPLETED AND RETURNED. IF AN ITEM IS NOT BEING BID, IDENTIFY IT AS NB (NO-BID). PAGES SHOULD BE SECURED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR MISSING PAGES. FAXED BID RESPONSES WILL NOT BE ACCEPTED.
- THE UNIT PRICE ALWAYS GOVERNS REGARDLESS OF THE EXTENDED AMOUNT. A UNIT PRICE CHANGE ON A LINE MUST BE INITIALED BY THE PERSON SIGNING THE BID, OR THAT LINE WILL BE REJECTED. THIS INCLUDES A CROSS-OUT, STRIKE-OVER, INK-OVER, WHITE-OUT, ERASURE, OR ANY OTHER METHOD CHANGING THE PRICE.
- A "NO BID" MUST BE RETURNED TO REMAIN ON A CLASS/SUBCLASS. RETURN PAGE 1 OR NOTIFICATION PAGE MARKED "NO-BID". IDENTIFY IT ON THE ENVELOPE AS A "NO-BID". FAILING TO RESPOND TO 3 ITB'S WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. RESPONDING WITH 6 "NO-BIDS" WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/ SUBCLASS. A "NO-BID" RECEIVED LATE IS CONSIDERED A NO RESPONSE.
- THE DIVISION OF PURCHASING IS NOT RESPONSIBLE FOR MISINTERPRETATION OF DATA FAXED FROM THIS OFFICE.
- THE DIVISION OF PURCHASING REQUIRES AN ORIGINAL AND A MINIMUM OF ONE COMPLETE EXACT COPY (TO INCLUDE SIGNATURE AND NOTARY) OF THE INVITATION-TO-BID RESPONSE. THE ORIGINAL AND THE COPY SHOULD BE SUBMITTED TOGETHER AS A BID PACKAGE. FAILURE TO MARK RESPONSES AS "ORIGINAL" AND/OR "COPY" COULD RESULT IN THE ENTIRE BID RESPONSE BEING REJECTED.
- AN IMPROPERLY SUBMITTED BID, LATE BID, OR BID THAT IS CANCELLED ON OR BEFORE THE OPENING DATE WILL BE HELD FOR 90 DAYS AND THEN DESTROYED. THE BID MUST BE RETRIEVED DURING REGULAR WORK HOURS, MONDAY FRIDAY, EXCEPT STATE HOLIDAYS. AFTER THE BID IS DESTROYED, THE DIVISION OF PURCHASING ASSUMES NO RESPONSIBILITY FOR THE DOCUMENT.

DISQUALIFIED/CANCELLED BID

BIDS THAT ARE IMPROPERLY SUBMITTED OR RECEIVED LATE WILL BE A RESPONSE FOR RECORD, BUT WILL NOT BE RETURNED OR A NOTIFICATION MAILED.

THE FOLLOWING IS A PARTIAL LIST WHEREBY A BID RESPONSE WILL BE DISOUALIFIED:

BID NUMBER NOT ON FACE OF ENVELOPE/COURIER PACKAGE/BOX RESPONSES TO MULTIPLE BID NUMBERS IN SAME ENVELOPE NOT PROPERLY IDENTIFIED

BID RECEIVED LATE

BID NOT SIGNED/NOT ORIGINAL SIGNATURE

BID NOT NOTARIZED/NOT ORIGINAL SIGNATURE OF NOTARY AND/OR NO NOTARY EXPIRATION

NOTARIZED OWN SIGNATURE

REQUIRED INFORMATION NOT SUBMITTED WITH BID FAILURE TO SUBMIT THE ORIGINAL BID AND A COMPLETE EXACT COPY

CERTIFICATION PURSUANT TO ACT NO. 2006-557

ALABAMA LAW (SECTION 41-4-116, CODE OF ALABAMA 1975) PROVIDES THAT EVERY BID SUBMITTED AND CONTRACT ALABAMA LAW (SECTION 41-4-116, CODE OF ALABAMA 1975) PROVIDES THAT EVERY BID SUBMITTED AND CONTRACT EXECUTED SHALL CONTAIN A CERTIFICATION THAT THE VENDOR, CONTRACTOR, AND ALL OF ITS AFFILIATES THAT MAKE SALES FOR DELIVERY INTO ALABAMA OR LEASES FOR USE IN ALABAMA ARE REGISTERED, COLLECTING, AND REMITTING ALABAMA STATE AND LOCAL SALES, USE, AND/OR LEASE TAX ON ALL TAXABLE SALES AND LEASES INTO ALABAMA. BY SUBMITTING THIS BID, THE BIDDER IS HEARBY CERTIFYING THAT THEY ARE IN FULL COMPLIANCE WITH ACT NO. 2006-557, THEY ARE NOT BARRED FROM BIDDING OR ENTERING INTO A CONTRACT PURSUANT TO 41-4-116, AND ACKNOWLEDGES THAT THE AWARDING AUTHORITY MAY DECLARE THE CONTRACT VOID IF THE CERTIFICATION IS FALSE.

VENDOR NAME :

VENDOR NUMBER:

ITB NO. : 10-X-2218172 OPEN DATE : 07/15/10 TIME: 10:00 AM

PAGE

3

T-NUMBER T193

RETURN DATE: 07/14/10 TIME: 5:00 PM

INTENT TO AWARD

EFFECTIVE MAY 1, 2008, THE STATE OF ALABAMA - DIVISION OF PURCHASING WILL ISSUE AN 'INTENT TO AWARD' BEFORE A FINAL AWARD IS MADE. THE 'INTENT TO AWARD' WILL CONTINUE FOR A PERIOD OF FIVE (5) CALENDAR DAYS, AFTER WHICH A PURCHASE ORDER WILL BE PRODUCED. UPON FINAL AWARD, ALL RIGHTS TO PROTEST ARE FORFEITED. A DETAILED EXPLANATION OF THIS PROCESS MAY BE REVIEWED IN THE ALABAMA ADMINISTRATIVE CODE - CHAPTER 355-4-1(14).

ALTERNATE BID RESPONSE
UNLESS STATED ELSEWHERE IN THIS INVITATION-TO-BID (ITB) THE STATE OF
ALABAMA WILL ACCEPT AND EVALUATE ALTERNATE BID SUBMITTALS ON ANY
ITB'S. ALTERNATE BID RESPONSES WILL BE EVALUATED ACCORDING TO THE
REQUIREMENTS AS ALL OTHER RESPONSES TO THIS ITB.

INTERNET WEBSITE LINK'S

INTERNET AND/OR WEBSITE LINKS WILL NOT BE ACCEPTED IN BID RESPONSES AS A MEANS TO SUPPLY ANY REQUIREMENTS STATED IN THIS ITB (INVITATION-TO-BID).

PRODUCT DELIVERY, RECEIVING AND ACCEPTANCE IN ACCORDANCE WITH THE UNIVERSAL COMMERCE CODE (CODE OF ALABAMA, TITLE 7), AFTER DELIVERY, THE STATE OF ALABAMA HAS THE RIGHT TO INSPECT ALL PRODUCTS BEFORE ACCEPTING. THE STATE WILL INSPECT PRODUCTS IN A REASONABLE TIMEFRAME. SIGNATURE ON A DELIVERY DOCUMENT DOES NOT CONSTITUTE ACCEPTANCE BY THE STATE. THE STATE WILL ACCEPT PRODUCTS ONLY AFTER SATISFACTORY INSPECTION.

SALES TAX EXEMPTION

PURSUANT TO THE CODE OF ALABAMA, 1975, TITLE 40-23-4 (A) (11), THE STATE OF ALABAMA IS EXEMPT FROM PAYING SALES TAX. AN EXEMPTION LETTER WILL BE FURNISHED UPON REQUEST.

INVOICES

INQUIRIES CONCERNING PAYMENT AFTER INVOICES HAVE BEEN SUBMITTED ARE TO BE DIRECTED TO THE RECEIVING AGENCY, NOT THE DIVISION OF PURCHASING

BID RESPONSES AND BID RESULTS

UNEVALUATED BID RESPONSES (NOT BID RESULTS) ARE AVAILABLE ON OUR WEB SITE AT WWW.PURCHASING.ALABAMA.GOV. BID RESULTS WILL BE MADE AVAILABLE FOR REVIEW IN THE DIVISION OF PURCHASING OFFICE, BUT ONLY AFTER THE BID HAS BEEN AWARDED. WE DO NOT FAX OR MAIL COPIES OF BID RESULTS. IF A VENDOR WISHES TO REVIEW BID RESULTS IN OUR OFFICE, THEY SHOULD FAX THEIR REQUEST TO REVIEW THE BID TWO DAYS IN ADVANCE TO THE "BID REVIEW CLERK" AT (334) 242-4419. BE SURE TO REFERENCE THE BID NUMBER.

FOREIGN CORPORATION - CERTIFICATE OF AUTHORITY

ALABAMA LAW PROVIDES THAT A FOREIGN CORPORATION (AN OUT-OF-STATE COMPANY/FIRM) MAY NOT TRANSACT BUSINESS IN THE STATE OF ALABAMA UNTIL TI OBTAINS A CERTIFICATE OF AUTHORITY FROM THE SECRETARY OF STATE. SECTION 10-2B-15.01, CODE OF ALABAMA 1975. TO OBTAIN FORMS FOR A CERTIFICATE OF AUTHORITY, CONTACT THE SECRETARY OF STATE, CORPORATIONS DIVISION, (334) 242-5324. THE CERTIFICATE OF AUTHORITY DOES NOT KEEP THE VENDOR FROM SUBMITTING A BID.

BID IDENTIFICATION

REFERENCE PAGE 2, ITEM 2. DUE TO THE POSTAL SERVICE PUTTING BAR CODE LABELS ON ENVELOPES, IT CONCEALS THE BID NUMBER AND DATE IF THE VENDOR HAS WRITTEN THEM OTHER THAN THE LOWER LEFT CORNER, THEREFORE THE BID WOULD BE REJECTED FOR NOT BEING PROPERLY IDENTIFIED.

SPECIAL TERMS & CONDITIONS

INVITATION TO BID

VENDOR NAME :

VENDOR NUMBER:

10-X-2218172 ITB NO.

PAGE

4

OPEN DATE 07/15/10 TIME: 10:00 AM

T-NUMBER T193

RETURN DATE: 07/14/10 TIME: 5:00 PM

PURPOSE:

ESTABLISH A CONTRACT FOR THE ITEMS LISTED FOR ALL STATE AGENCIES. PRICING MUST BE AVAILABLE TO OTHER LOCAL GOVERNEMTAL AGENCIES AND

AWARD:

AWARD WILL BE MADE "ALL OR NONE" BY GROUPS TO THE LOWEST RESPONSIBLE BIDDER MEETING ALL SPECIFICATIONS.

* NOTE: FOR THE PURPOSE OF DETERMINING THE "LOWEST" BID FOR EACH GROUP, ONLY THE BASE CHASSIS & OPTION PACKAGE PRICING WILL BE USED.

FREIGHT:

BID IS F.O.B. DESTINATION. ANY FREIGHT CHARGES MUST BE INCLUDED IN THE BID PRICE AND NOT SHOWN SEPARATELY ON THE ITB OR INVOICE.

PERFORMANCE GUARANTEE: VENDOR MUST FURNISH, WITHIN TEN STATE WORKING DAYS AFTER NOTIFICATION VENDOR MUST FURNISH, WITHIN TEN STATE WORKING DAYS AFTER NOTIFICATION OF AWARD, A PERFORMANCE GUARANTEE IN THE AMOUNT SPECIFIED BELOW AS A GUARANTEE TO PROVIDE GOODS OR SERVICES SPECIFIED IN THE BID. IT SHALL BE MADE PAYABLE TO THE STATE OF ALABAMA AND CAN BE A CASHIER'S CHECK, OTHER TYPE BANK CERTIFIED CHECK (PERSONAL/COMPANY CHECKS ARE NOT ACCEPTABLE), BANKS OR POSTAL MONEY ORDER OR SURETY BOND ISSUED BY A COMPANY AUTHORIZED TO DO BUSINESS WITHIN THE STATE OF ALABAMA. PLEASE REFERENCE THE BID NUMBER ON THE GUARANTEE. THE DIVISION OF PURCHASING WILL BE THE CUSTODIAN OF THE PERFORMANCE GUARANTEE. THE PERFORMANCE GUARANTEE WILL BE RETURNED UPON COMPLETION OF THE CONTRACT.

PERFORMANCE GUARANTEE AMOUNT: \$150,000.00

CONTRACT PERIOD:

ESTABLISH A 12 MONTH CONTRACT WITH AN OPTION TO EXTEND FOR A SECOND, THIRD, FOURTH, AND FIFTH 12 MONTH PERIOD WITH THE SAME PRICING, TERMS AND CONDITIONS. THE SECOND, THIRD, FOURTH, OR FIFTH 12 MONTH PERIOD AND CONDITIONS. THE SECOND, THIRD, FOURTH, OR FIFTH 12 MONTH PERIOD, IF AGREED BY BOTH PARTIES, WOULD BEGIN THE DAY AFTER THE FIRST, SECOND, THIRD, OR FOURTH 12 MONTH PERIOD EXPIRES. ANY SUCCESSIVE EXTENSION MUST HAVE WRITTEN APPROVAL OF BOTH THE STATE AND VENDOR NO LATER THAN 30 DAYS PRIOR TO EXPIRATION OF THE PREVIOUS 12 MONTH

MANUFACTURER/MODEL NUMBER:

AT THE END OF EACH ITEM WHERE SPACES ARE MARKED "MFR" AND "MODEL", VENDORS MUST INDICATE THE MANUFACTURER & ALL STOCK/MODEL NUMBERS NECESSARY TO COMPLETE EACH UNIT AS SPECIFIED.

THIS INFORMATION MUST BE COMPLETED OR THE BID WILL BE REJECTED.

DESCRIPTIVE LITERATURE (ALL BIDDERS):
ALL BIDDERS MUST SUBMIT DESCRIPTIVE LITERATURE WITH THE ORIGINAL AND
REQUIRED COPY OF THE BID. LITERATURE MUST SHOW THAT THE EQUIPMENT BID
MEETS OR EXCEEDS ALL SPECIFICATIONS.

FAILURE TO SUBMIT LITERATURE WITH THE ORIGINAL AND/OR COPY AND/OR ADEQUATE LITERATURE TO SHOW THAT THE EQUIPMENT BEING BID MEETS OR EXCEEDS ALL SPECIFICATIONS WILL RESULT IN GROUP REJECTION.

PHYSICAL INSPECTION AND OPERATIONAL EVALUATION MAY ALSO BE REQUIRED WITHOUT COST OR OBLIGATION TO THE STATE OF ALABAMA.

ALL EQUIPMENT MUST BE NEW AND UNUSED AND ACCEPTABLE BY THE ORIGINAL EQUIPMENT MANUFACTURER FOR THEIR MAINTENANCE.

REQUESTED INFORMATION:

ANY ADDITIONAL INFORMATION REQUESTED FROM A VENDOR MUST BE FURNISHED WITHIN FIVE (5) BUSINESS DAYS FROM RECEIPT OF REQUEST.

INVITATION TO BID

VENDOR NAME :

VENDOR NUMBER:

ITB NO. : 10-X-2218172 OPEN DATE : 07/15/10 TIME: 10:00 AM

PAGE

5

T-NUMBER T193

RETURN DATE: 07/14/10 TIME: 5:00 PM

FIRM PRICING:

INVITATION TO BID

FEDERALLY MANDATED CHANGES WHICH RESULT IN AN ADDITIONAL COST TO THE VENDOR MAY BE SUBMITTED TO STATE PURCHASING FOR APPROVAL TO INCREASE THE CONTRACT PRICE. IT IS THE VENDOR'S RESPONSIBILITY TO NOTIFY STATE PURCHASING AND PROVIDE ADEQUATE DOCUMENTATION TO EXPLAIN THE CHANGE.

AWARDED VENDORS MAY, AT RENEWAL TIME, REQUEST AN ESCALATION INCREASE OF NO MORE THAN 5%. THE REQUEST FOR AN INCREASE MUST BE SUBMITTED TO STATE PURCHASING AT THE TIME OF RENEWAL AND MUST BE ACCOMPANIED BY SUPPORTING DOCUMENTATION OF PRICE INCREASES. THE BURDEN IN REQUESTING THE INCREASE AND PROVIDING ADEQUATE DOCUMENTATION RESTS SOLELY WITH THE AWARDED VENDOR.

OPTION PACKAGE PRICING;

VENDORS MUST OFFER ALL OPTIONS SHOWN IN THE OPTION PACKAGE LINE FOR THE GROUP BEING BID UPON. ALL SPACES MUST BE COMPLETED WITH A PRICE OR "STANDARD", "N/C", "0" OR SOME OTHER INDICATOR, IF THERE IS NOT A CHARGE FOR THAT ITEM.

THE OPTIONS MUST THEN BE ADDED TOGETHER AND THE TOTAL ENTERED IN THE UNIT PRICE FOR THE OPTION PACKAGE LINE.

IN THE EVENT OF A DISCREPANCY, THE UNIT PRICE GOVERNS AND THE PRICING FOR THE INDIVIDUAL ITEMS WILL BE ADJUSTED.

FAILURE TO ENTER SOMETHING ON ALL LINES FOR THE OPTION PACKAGE SPACES WILL RESULT IN GROUP REJECTION.

QUANTITY:

THE QUANTITY TO BE PURCHASED IS UNKNOWN AND THE STATE OF ALABAMA MAKES NO GUARANTEE THAT ANY CERTAIN QUANTITY WILL BE ORDERED. ORDERS WILL BE PLACED AS AGENCIES HAVE NEED.

CHASSIS MANUFACTURER'S DROP SHIP NUMBER:

POTENTIAL AWARDED VENDORS MUST PROVIDE THE CHASSIS MANUFACTURER'S DROP SHIP NUMBER WITHIN 5 CALENDAR DAYS FROM DATE OF REQUEST. FAILURE TPROVIDE THIS INFORMATION OR TO PROVIDE THIS INFORMATION IN A TIMELY FAILURE TO MANNER WILL RESULT IN BID REJECTION.

BIDDER FACILITIES:

BIDS WILL ONLY BE ACCEPTED FROM VENDORS WITH A FACILITY LOCATED IN THE STATE OF ALABAMA FOR BODY INSTALLATION AND PARTS & SERVICE. THE STATE OF ALABAMA RESERVES THE RIGHT TO INSPECT THE VENDORS FACILITIES AT ANY TIME PRIOR TO AWARD OR DURING CONTRACT DURATION.

T193 INSTRUCTIONS TRUCK CHASSIS GVWR 19,000# & ABOVE

CHASSIS CONTRACT PRICE INCLUDES:

- CHASSIS CONTRACT PRICE INCLUDES:

 1. DELIVERY TO DEALERSHIP LOCATION OR DROP SHIPPED TO THE SPECIFIED BODY VENDOR'S LOCATION WITHIN 150 DAYS OF THE ORDER.*

 2. PRE-DELIVERY SERVICE OF THE CHASSIS TO INCLUDE FULL TANK OF FUEL.

 3. ALL TITLE FEES, AS WELL AS ALL OTHER CHARGES: VENDOR MUST FURNISH AND DELIVER THE PREPAID CERTIFICATE OF TITLE IN THE NAME OF THE AGENCY AS SPECIFIED ON THE PURCHASE ORDER. TITLE SHALL CHANGE UPON ACCEPTANCE OF THE VEHICLE BY THE AGENCY.

 4. WARRANTY CARD AND SERVICE POLICY MUST BE DELIVERED TO THE AGENCY WHEN INVOICING FOR PAYMENT. WARRANTY SHALL GO INTO EFFECT WHEN THE VEHICLE IS PUT INTO SERVICE.
- DELIVERY DEADLINES MAY BE EXTENDED DUE TO COMPONENT AVAILABILITY. VENDORS MUST NOTIFY STATE PURCHASING, IN WRITING, IN THE EVENT OF DELAYS DUE TO MANUFACTURER PRODUCTION.

SPECIAL TERMS & CONDITIONS

INVITATION TO BID

VENDOR NUMBER:

ITB NO.

: 10-X-2218172 : 07/15/10 TIME: 10:00 AM OPEN DATE

PAGE

6

T-NUMBER T193

RETURN DATE: 07/14/10 TIME: 5:00 PM

BODY VENDOR'S PRICE INCLUDES:

- 1. KNOWLEDGE OF THE CHASSIS UNIT STRUCTURAL COMPONENTS.
 2. VERIFICATION THAT DELIVERY OF TRUCK CHASSIS HAS OCCURRED TO THE ORDERING AGENCY.
- 3. HAVE BODY READY TO INSTALL ONTO CHASSIS.
 4. INSTALL BODY AT CONTRACTED PRICE WHICH INCLUDES ALL MATERIAL AND LABOR.
- 5. DELIVERY OF COMPLETED UNIT TO THE AGENCY WITHIN 60 DAYS OF DELIVERY OF THE TRUCK CHASSIS AND TO HAVE A MINIMUM OF 10 GALLONS OF FUEL.
- DELIVERY DEADLINES MAY BE EXTENDED DUE TO COMPONENT AVAILABILITY. VENDORS MUST NOTIFY STATE PURCHASING, IN WRITING, IN THE EVENT OF DELAYS DUE TO MANUFACTURER PRODUCTION.

REQUIRED STEPS TO FOLLOW:

- STATE PLACES ORDER FOR TRUCK AND PURCHASE ORDER IS ISSUED TO THE CHASSIS DEALER WITH COMPLETE SPECIFICATION TO INCLUDE THE WHERE THE CHASSIS IS TO BE FOB DROP SHIP WHEN A BODY IS BEING INSTALLED OR IF NO DROP SHIP IS SPECIFIED ON THE PO THEN THE TRUCK IS TO BE DELIVERED FOB TO CHASSIS VENDOR'S LOCATION AND THE STATE WILL PICKUP WHEN NOTIFIED BY THE CHASSIS DEALER.
- WHEN THE CHASSIS DEALER IS REQUIRED TO DROP SHIP TO THE BODY VENDOR IT IS THE RESPONSIBILITY OF THE CHASSIS DEALER TO NOTIFY BY FAX OR EMAIL THE IMPENDING ARRIVAL DATE OF THE CHASSIS TO THE AGENCY. IT WILL BE THE ORDERING AGENCY RESPONSIBILITY TO NOTIFY THE BODY VENDOR OF THE DATE. THIS INFORMATION SHALL BE PROVIDED AT LEAST 60 DAYS PRIOR TO ARRIVAL.
- WHEN THE CHASSIS IS RECEIVED AT THE BODY VENDOR'S LOCATION IT SHALL BE THE RESPONSIBILITY OF THE BODY VENDOR TO FAX OR EMAIL THE AGENCY WITHIN 12 NORMAL WORKING HOURS OF RECEIPT OF THE CHASSIS IF THE VEHICLE MEETS SPECIFICATION OF THE ORDER. IF THERE ARE DEVIATIONS IN THE SPECIFICATION TO INCLUDE PRE-DELIVERY SERVICE, VISIABLE SPECIFICATIONS, VISIABLE DAMAGE OR EXCEPTIONS TO THE ORDER, IE: TIRE SIZE, SPARE RIMS AND/OR TIRES, RADIOS, SPECIAL LIGHTING, PTO UNITS, AND OTHER REMOVABLE ITEMS THE BODY VENDOR MUST NOTIFY THE AGENCY WITHIN 4 HOURS BY FAX OR EMAIL. BODY VENDOR IS TO HAVE BODY READY TO INSTALL AND TO TAKE NO MORE THAN 60 DAYS IN WHICH TO DELIVER THE COMPLETED UNIT TO THE
- ORDERING AGENCY.
- FAILURE OF THE BODY VENDOR TO DELIVER WITHIN THE SPECIFIED 60 DAYS SHALL INCUR A PENALTY OF LIQUIDATED DAMAGES HEREIN SPECIFIED AT THE RATE THAT THE DEPT OF TRANSPORTATION CHARGES TO ALL ITS DIVISIONS BASED ON THEIR DOT RENTAL AND DEPRECIATION SCHEDULE.
- IF THE BODY VENDOR FAILS TO PERFORM/DELIVER OR THE UNITS ARE NOT WITHIN THE GUIDE LINES OF THE SPECIFICATIONS AND IS A CHRONIC CONDITION, THE STATE OF ALABAMA MAY TERMINATE THE BODY VENDOR'S CONTRACT AFTER THREE DOCUMENTED OCCURANCES AND EXERCISE THE PERFORMANCE BOND FOR LIQUADATED DAMAGES INCURRED BY THE STATE.

FEDERALLY MANDATED COMPONENT:

VENDORS MAY PASS ON DEALER INVOICE COST OF ANY FEDERALLY MANDATED ADDITIONAL COMPONENTS REQUIRED DURING CONTRACT PERIOD. DOCUMENTATION OF INCREASED COST MUST BE PROVIDED TO STATE PURCHASING IN WRITING.

COLOR: MFR STANDARD FACTORY WHITE W/ MATCHING INTERIOR, UNLESS OTHERWISE STATED ON PURCHASE ORDER.

ALL VEHICLES WILL COME EQUIPPED WITH ALL STANDARD EQUIPMENT AND ACCESSORIES PLUS OPTIONS AS SHOWN AND ALL EQUIPMENT WILL BE FACTORY INSTALLED UNLESS OTHERWISE INDICATED AND AUTHORIZED. THE STATE OF ALABAMA WILL AUTHORIZE THE USE OF MANUFACTURER CERTIFIED UPFITTERS I.E. MONROE TRUCK EQUIPMENT, MONROE, WISCONSIN. ALL VEHICLES ARE TO BE PRE-DELIVERY SERVICED BY THE FACTORY OR DEALERSHIP. INVITATION TO BID

VENDOR NAME :

VENDOR NUMBER:

ITB NO. : 10-X-2218172 OPEN DATE : 07/15/10 TIME: 10:00 AM

PAGE

T-NUMBER T193

RETURN DATE: 07/14/10 TIME: 5:00 PM

ALL VEHICLES/BODIES MUST MEET ALL FEDERAL ICC REGULATIONS. EXAMPLE: FLAT AND FLAT DUMPS MUST BE EQUIPPED WITH IMPACT BUMPERS.

ALL ADDITIONAL OPTIONS SHALL BE PRICED AT DEALER INVOICE FOR THE INDIVIDUAL ITEM.

TANDEM AXLE DUMP SPECIFICATIONS (ROG005)

AXLE: FRONT WITH SINGLE SECTOR WITH HYDRAULIC ASSIST OR DUAL SECTOR POWER STEERING 20,000 LBS.

AXLE: REAR 1 SPEED 44,000 LBS. MINIMUM CAPACITY

POWER DIVIDER LOCKOUT WITH WARNING LIGHT OR BUZZER WITH CAB AIR

VALVE. ALSO AN ALL 4 WHEEL FORWARD REAR AND REAR REAR AXLE LOCK, SYNTHETIC OIL ONLY.

SYNTHETIC OIL ONLY.

SEAL: OIL REAR AXLE, STEMCO

MAIN DRIVE LINE: SPICER 1810 HD OR EQUAL WITH COATED SPLINES
INTERAXLE DRIVE LINE: SPICER 1710 HD OR EQUAL WITH COATED SPLINES
BRAKE: TRUCK FULL AIR, DUAL W/SYSTEM CAPACITY TO SUPPORT AIR LIFT

AXLE. BENDIX CONTROL VALVES.

COMPRESSOR: TRUCK AIR BRAKE 15 CFM MINIMUM. (MUST SUPPORT AIR LIFT

AXLE.)
HAND CONTROL VALVE FOR REAR SERVICE BRAKES
BENDIX MODEL AD9 AIR DRYER TRUCK AIR BRAKE SYSTEM. MOUNTED INSIDE

FRAME, WITH HEATED DRAIN VALVE.

MOISTURE EJECTOR: AUTOMATIC TRUCK AIR BRAKE SYSTEM

MOISTURE EJECTOR: AUTOMATIC TRUCK AIR BRAKE SYSTEM
TRACTOR SPRING BRAKE INVERSION VALVE
SLACK ADJUSTERS: ALL AXLES TRUCK AIR BRAKE AUTOMATIC
BRAKE DRUMS: CAST OUT BOARD
BRAKE DUST SHIELD: FRONT AND REAR
SHOES: "S" CAM TYPE 16.5 X 6" FRONT WITH 16.5" X 7" REAR
REAR BRAKE CHAMBERS: RAISED, 30/30, 4 EA.

LOW AIR PRESSURE INDICATOR LIGHT AND BUZZER

FRAME MOUNTED HOOD: TILT, FIBERGLASS W/FENDERS

SIDE MOUNT OIL FILL

MIRROR: STAINLESS STEEL, HEATED. WESTERN 6" X 16" WITH 7.5" CONVEX

SPOT. SUN VISOR: LEFT AND RIGHT HAND

SEAT: AIR SUSPENSION DRIVER HIGH BACK W/HEADREST BOSTROM 914 OR

EQUAL WITH HIGH BACK FIXED PASSENGER SEAT. VINYL SEAT COVERING.
SEAT BELTS: LAP AND SHOULDER TYPE
ALTERNATOR: DELCO 130 AMP, 12 VOLT

2775 COLD CRANKING AMPERAGE, MAINTENANCE FREE. NEGATIVE BATTERY:

GROUND.

AIR SUSPENDED CAB OR COMBINED SPRING AND SHOCK SUSPENSION

ENGINE: 425 HP DIESEL, MACK E7V-MAC, CATERPILLAR C15, DETROIT SERIES 60, CUMMINS ISX OR VOLVO VED12 OR MBE 4000 MERCEDES (UPGRADABE WITH ELECTRONICS) 1550 FT LBS TORQUE (MIN), AIR TO AIR CHARGE-AIR COOLER MOUNTED IN FRONT OF RADIATOR. TO INCLUDE EXTENDED SERVICE

INTERIM LUBE OIL SYSTEMS.
ENGINE ELECTRONICS: CRUISE CONTROL, LOW SPEED THROTTLE SETTING ENGINE OVER SPEED THRESHOLD. DRIVER CONTROL LOW IDLE SPEED ADJUST. LOW GEAR ROAD SPEED SETTING, KEY TYPE ENGINE SHUTOFF IDLE. SHUTDOWN TIME SETTING, IDLE SHUTDOWN WARM-UP TEMPERATURE, IDLE SHUTDOWN WARM-UP TIME, IDLE SHUTDOWN OVERRIDE OF PTO IS ENGAGED, IDLE SHUTDOWN OVERRIDE IF VARIABLE SPEED CONTROL ENGAGED, IDLE SHUTDOWN OVERRIDE IF SINGLE SPEED CONTROL ENGAGED, FURNISH MPH SENSOR INACTIVE FAULT DETECTOR, FURNISH VEHICLE DATA LOG FEATURE WHICH ALLOWS PROLINK AND PC MONITORING.

RADIATOR: 1,400 SQ. INCH MIN.
SEPARATOR: FUEL AND WATER RACOR 1000 FG OR EQUAL

HOSES: LONG LIFE COOLANT W/PREMIUM HOSES

COOLANT PROTECTION: -10 DEGREES F.

EXHAUST: SINGLE VERTICAL W/HEAT SHIELDS, HORIZONTAL/DPF W/ VERTICAL TAILPIPE

ALARM/SHUT DOWN SYSTEM: LOW OIL PRESSURE, LOW COOLANT LEVEL AND HIGH

RUBBER FLOOR COVERING

VENDOR NUMBER:

ITB NO.

: 10-X-2218172 : 07/15/10 TIME: 10:00 AM INVITATION TO BID OPEN DATE

T-NUMBER T193

RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE

8

COOLANT TEMPERATURE (PROVIDE MANUAL OVERRIDE). AIR CLEANER: SINGLE ELEMENT DRY TYPE, DONALDSON IRON FLYWHEEL HOUSING CLUTCH: SPICER 15.5" TWO PLATE CERAMIC WITH COAXIAL SPRING DAMPENED AND 2" SPLINE STARTER: 12 VOLT, ELECTRIC, FULL COPPER CIRCUIT TYPE, 42 MT WITH OVERCRANK PROTECTION TRANSMISSION: RTO16908LL, WITH OIL RESISTANT MOUNTS AND RIGHT AND LEFT SIDE PTO CLEARANCE. SYNTHETIC LUBRICANT EATON CD50. TO OIL COOLER.

E: TRUCK RBM'S 3,500,000 MINIMUM. DOUBLE FRAME, TO INCLUDE 1/4"
INSIDE CHANNEL, STEEL I-BEAM CROSS MEMBERS BEHIND CAB AND
INTERMEDIATE. 80" FRAME RAIL CLEARANCE FORWARD FROM CENTER LINE FRAME: TANK FUEL: 100 GAL. WITH ALUMINUM STEP SUSPENSION: FRONT TRUCK 20,000 LBS. MULTI LEAF (34.5" SPRING CENTERS SUSPENSION: FRONT TRUCK 20,000 LBS. MULTI LEAF (34.5" SPRING CENTERS MAX.) WITH SHOCK ABSORBERS

SUSPENSION: REAR 44,000 LBS. HENDRICKSON WALKING BEAM OR CAMEL BACK OR T-RIDE WITH BRONZE BUSHINGS. NO RACO OR AIR RIDE.

FRONT TIRES: 4.25/80R 22.5 1, SET OF TWO.

REAR TIRES: 11R/22.H SET OF EIGHT OFF ROAD.

RIM: 22.5 X 8.25 DISC HUB PILOTED, SET OF NINE

RIM: 22.5 X 12.25 DISC HUB PILOTED, SET OF THREE

FRONT TOW DEVICE, FRAME MOUNTED AIR HORNS ELECTRIC HORN: SINGLE TONE HEATER, ENGINE BLOCK, 120V/1,250 WATT CIRCUIT BREAKERS IN LIEU OF FUSES ENGINE BRAKE DOME LIGHT DISPATCH BOX COAT HOOK ELECTRONIC SPEEDOMETER WITH TRIP ODOMETER ASHTRAY/CIGAR LIGHTER GAUGES: AIR PRESSURE, VOLTMETER, ENGINE COOLANT TEMPERATURE, ENGINE OIL PRESSURE, FUEL LEVEL FIVE ICC MARKER LIGHTS
REAR LIGHTS: STOP, TAIL, DIRECTIONAL AND BACKUP. TAIL LAMPS
TRUCKLITE SEALED SUPER 40 WITH BACKUP LAMP POWER WINDOWS AM/FM RADIO WITH WEATHER CHANNEL AIR CONDITIONING LEXAN LENS HEADLIGHTS WITH REPLACEABLE HALOGEN LAMPS ADJUSTABLE STEERING COLUMN WITH MINIMUM 18" STEERING WHEEL CONSTRUCTION APPLICATION CAB, FLEET INTERIOR, RUBBER FLOOR MATS FENDER MOUNTED TURN SIGNALS FRONT BUMPER: STEEL SWEPT BACK INTERMITTENT WINDSHIELD WIPERS, ELECTRIC

ROBBER FLOOR COVERING
SYNTHETIC LUBE IN TRANMISSION AND REAR AXLES
BACK UP ALARM, 85 DBA OR GREATER FACTORY INSTALLED
CAB FINISH: STANDARD FACTORY COLOR
BASIC CHASSIS WARRANTY: ONE (1) YEAR OR 100,000 MILES
ENGINE WARRANTY: FIVE (5) YEARS AND/OR 300,000 MILES MINIMUM
TRANSMISSION WARRANTY: THREE (3) YEARS AND/OR 500,000 MILES MINIMUM
REAR AXLE WARRANTY: FIVE (5) YEARS AND/OR 500,000 MILES MINIMUM

SPECIAL TERMS & CONDITIONS VENDOR NAME :

VENDOR NUMBER: ITB NO. : 10-X-2218172
OPEN DATE : 07/15/10 TIME: 10:00 AM
T-NUMBER : T193
RETURN DATE: 07/14/10 TIME: 5:00 PM INVITATION TO BID

PAGE 9

THE FOLLOWING CONFERENCES WILL BE HELD

CONFERENCE LOCATION

MANDATORY PRE-BID CONFERENCE DATE: 06/22/10 TIME: 10:00 AM

DEPT OF TRANSPORTATION 1409 COLISEUM BLVD CONFERENCE ROOM #11 MONTGOMERY, AL 36110

ATTACHMENTS VENDOR NAME :

VENDOR NUMBER:

INVITATION TO BID

VENDOR NOMBER:

ITB NO. : 10-X-2218172

OPEN DATE : 07/15/10 TIME: 10:00 AM

T-NUMBER : T193

RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE 10

IT IS THE VENDOR'S RESPONSIBILITY TO READ THIS ENTIRE DOCUMENT FROM BEGINNING TO END AND TO COMPLY WITH ALL INSTRUCTIONS AND TERMS AND CONDITIONS OF THE BID.

REMINDER: BIDDERS MUST SUBMIT AN ORIGINAL AND A MINIMUM OF ONE EXACT, COMPLETE COPY (INCLUDING SIGNATURE, NOTARY, & DESCRIPTIVE LITERATURE) OF THE BID, AS SHOWN ON PG. 2 OF THE ITB, OR THE BID WILL BE REJECTED.

NOTE: THERE IS A MANDATORY PRE-BID CONFERENCE FOR THIS ITB. ONLY VENDORS WHO ATTEND THE MANDATORY PRE-BID CONFERENCE WILL BE ELIGIBLE TO SUBMIT A BID.

SPECIFICATION QUESTIONS MUST BE SUBMITTED TO THE BUYER, IN WRITING, NO LATER THAN 5:00 PM CENTRAL TIME ON 06/17/10. REFERENCING THE ITB PAGE AND/OR SPECIFICATIONS PAGE WOULD BE HELPFUL. ANSWERS WILL BE PROVIDED AT THE MANDATORY PRE-BID CONFERENCE AND/OR AN ADDENDUM.

PROCEDURAL QUESTIONS MAY BE DIRECTED TO THE BUYER UP UNTIL THE BID SUBMISSION DEADLINE.

SUSAN JANA, BUYER
PHONE: (334) 242-7173 (NO SPECIFICATION QUESTIONS)
FAX: (334) 242-4419

EMAIL: SUSAN.JANA@PURCHASING.ALABAMA.GOV

POSTAL: SEE PAGE 1 OF ITB

VENDOR NUMBER:

TTB NO. : 10-X-2218172 OPEN DATE : 07/15/10 TIME: 10:00 AM INVITATION TO BID

T-NUMBER T193 PAGE 11

RETURN DATE: 07/14/10 TIME: 5:00 PM

LINE EXTENDED COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO.

UNLESS SPECIFIED OTHERWISE BELOW: SHIP TO: STATEWIDE R1 ---- BEGIN GROUPING LINES: 00001 -----00001 COMMODITY CODE: 070-51-086604 CHASSIS, TRUCK 19,000 - 22,499 GVWR, NEW LATEST MODEL TO INCLUDE ALL STANDARD EQUIPMENT FOR THE BASE MODEL WITH THE 1 EAFOLLOWING MINIMUM SPECS: STANDARD CAB WHEEL BASE: 150" - 158"
CAB TO AXLE: 83" - 84"
SINGLE AXLE DIESEL ENGINE EMISSIONS TECHNOLOGY: ADVANCED EGR ___ MODEL: 00002 COMMODITY CODE: 070-51-086605 OPTION PACKAGE, TRUCK CHASSIS, 19,000 -LT22,499 GVWR: FRONT AXLE W/POWER STEERING 6,000# \$_ REAR AXLE 1 SPEED 15000# MIN CAPACITY \$ HYDRAULIC SPLIT SYSTEM BRAKES W/AUTO ADJUSTMENT & 4 CHANNEL ABS \$_ TILT HOOD \$_ SET OF WESTERN MIRRORS 6"X16 SPOT \$_ SUN VISOR, RIGHT HAND \$__ SEAT, BENCH \$___ ALTERNATOR, 120 AMP MIN ... \$__ RADIO, AM/FM\$___ VENT, COWL \$___ TOW HOOKS, FRONT \$__ ALARM, BACK UP MIN 90DBA .. \$_ DIESEL 300 HP 660 LB - FT TORQUE WET SLEEVE \$__ TRANSMISSION, ALLISON 2200RDS PROVISION \$_____

VENDOR NUMBER: ITB NO. : 10-X-2218172
OPEN DATE : 07/15/10 TIME: 10:00 AM
T-NUMBER : T193
RETURN DATE: 07/14/10 TIME: 5:00 PM INVITATION TO BID

PAGE 12

EXTENDED AMOUNT LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE NO.

	FRAME, RMB'S MIN 866,000 $\#$.	\$				
	FUEL TANK, 45 GAL MIN, ALUMINUM W/ STEP	\$				
	SUSPENSION, FRONT 6000#	\$				
	SUSPENSION, REAR 15,000#	\$				
	SPRING, AUXILIARY EACH SIDE	\$				
	TIRES, SIX 9R/22.5F	\$				
	RIMS, SET OF SEVEN 22.5X6.79 DISC 6 OR 8 HOLE					
	AIR CONDITIONING WITH CAB INSULATION PACKAGE	\$				
	LONG LIFE COOLANT W/PREMIUM HOSES					
	OIL FILLED FRONT HUBS	\$				
	TINTED GLASS	\$				
	DOOR STRAPS	\$				
	WIPER, INTERMITTENT	\$				
	CONNECTION WIRING FOR BODIES	. \$				
	* AGENCIES MAY OPT TO LEAVE MORE OPTIONS. THE PURCHAS REFLECT THE ACTUAL ORDER 1	SE ORDER WILL				
00003	COMMODITY CODE: 070-51-08660 OPTIONS NOT LISTED, TRUCK CI 19,000 - 22,499 GVWR		1	LT		
	TO BE BILLED AT DEALER INVO	ICE PRICING				
	END GROUPING LINES: 0000	1 - 00003			GRP TOTAL	
	BEGIN GROUPING LINES: 00	0004				
00004	COMMODITY CODE: 070-51-08660 CHASSIS, TRUCK 19,000 - 22,0 NEW LATEST MODEL TO INCLUDE EQUIPMENT FOR THE BASE MODEL FOLLOWING MINIMUM SPECS:	499 GVWR, ALL STANDARD	1	EA		
	CREW CAB WHEEL BASE: 188" - 197" CAB TO AXLE: 82" - 84" SINGLE AXLE DIESEL ENGINE					
	EMISSIONS TECHNOLOGY: ADVA	NCED EGR				

VENDOR NUMBER:

ITB NO.

: 10-X-2218172 : 07/15/10 TIME: 10:00 AM : T193 INVITATION TO BID OPEN DATE

T-NUMBER

RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE 13

LINE EXTENDED COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. MFR: _ MODEL: 00005 COMMODITY CODE: 070-51-086608 OPTION PACKAGE, TRUCK CHASSIS, 19,000 -22,499 GVWR: 1 LT FRONT AXLE W/POWER STEERING 6,000# \$ REAR AXLE 1 SPEED 15000# MIN CAPACITY \$ HYDRAULIC SPLIT SYSTEM BRAKES W/AUTO ADJUSTMENT & 4 CHANNEL ABS \$_____ TILT HOOD \$_ SET OF WESTERN MIRRORS 6"X16 SPOT\$_ SUN VISOR, RIGHT HAND \$_ SEAT, BENCH \$__ ALTERNATOR, 120 AMP MIN ... \$__ RADIO, AM/FM \$___ VENT, COWL \$___ TOW HOOKS, FRONT \$___ ALARM, BACK UP MIN 90DBA .. \$_ DIESEL 300 HP 660 LB - FT TORQUE WET SLEEVE \$_ TRANSMISSION, ALLISON 2200RDS PROVISION \$_ FRAME, RMB'S MIN 866,000# . \$_ FUEL TANK, 45 GALLON MIN, ALUMINUM W/ STEP \$_ SUSPENSION, FRONT 6000# ... \$___ SUSPENSION, REAR 15,000# .. \$___ SPRING, AUXILIARY EACH SIDE \$___ TIRES, SIX 9R/22.5F \$_ RIMS, SET OF SEVEN 22.5X6.75 DISC 6, 8 OR 10 HOLE \$_ AIR CONDITIONING WITH CAB INSULATION PACKAGE \$_ LONG LIFE COOLANT W/PREMIUM HOSES \$

VENDOR NUMBER:

TTB NO. : 10-X-2218172 OPEN DATE : 07/15/10 TIME: 10:00 AM PAGE 14 INVITATION TO BID

T-NUMBER T193 RETURN DATE: 07/14/10 TIME: 5:00 PM

LINE EXTENDED COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. OIL FILLED FRONT HUBS \$___ TINTED GLASS \$___ WIPER, INTERMITTENT \$_ CONNECTION WIRING FOR BODIES \$___ ENGINE, ALARM SYSTEM FOR LOW-OIL/HIGH-WATER \$_ * AGENCIES MAY OPT TO LEAVE OFF ONE OR MORE OPTIONS. THE PURCHASE ORDER WILL REFLECT THE ACTUAL ORDER BEING PLACED. 00006 COMMODITY CODE: 070-51-086609 OPTIONS NOT LISTED, TRUCK CHASSIS, 19,000 - 22,499 GVWR 1 LT TO BE BILLED AT DEALER INVOICE PRICING ---- ---END GROUPING LINES: 00004 - 00006 ----- GRP TOTAL ---- --- BEGIN GROUPING LINES: 00007 ------ ---- ---- ----00007 COMMODITY CODE: 070-51-086610 EΑ CHASSIS, TRUCK 22,500 - 22,600 GVWR, NEW LATEST MODEL TO INCLUDE ALL STANDARD EQUIPMENT FOR THE BASE MODEL WITH THE FOLLOWING MINIMUM SPECS: STANDARD CAB WHEEL BASE: 126" - 134" CAB TO AXLE: 60" SINGLE AXLE DIESEL ENGINE EMISSIONS TECHNOLOGY: ADVANCED EGR MFR: _ __ MODEL: _ 00008 COMMODITY CODE: 070-51-086611 OPTION PACKAGE, TRUCK CHASSIS, 22,500 -26,000 GVWR: 1 LTFRONT AXLE W/POWER STEERING 8,000# \$_ REAR AXLE 1 SPEED 17,500# MIN CAPACITY \$_ HYDRAULIC SPLIT SYSTEM BRAKES W/AUTO ADJUSTMENT & 4 CHANNEL ABS \$_ TILT HOOD \$_ SET OF WESTERN MIRRORS 6"X16" W/5" CONVEX SPOT \$___ SUN VISOR, RIGHT HAND \$_

LINE

VENDOR NUMBER:

ITB NO.

: 10-X-2218172 : 07/15/10 TIME: 10:00 AM INVITATION TO BID OPEN DATE

T-NUMBER T193

RETURN DATE: 07/14/10 TIME: 5:00 PM PAGE 15

EXTENDED

COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. SEAT, BENCH \$___ ALTERNATOR, 120 AMP MIN ... \$_ RADIO, AM/FM \$_ VENT, COWL \$__ TOW HOOKS, FRONT \$___ ALARM, BACK UP MIN 90DBA .. \$_ DIESEL 300 HP 660 LB - FT TORQUE WET SLEEVE \$_ TRANSMISSION, ALLISON 2200RDS PROVISION \$_ FRAME, RMB'S MIN 866,000# FUEL TANK, 45 GALLON MIN, ALUMININUM W/ STEP \$_ SUSPENSION, FRONT 8000# ... \$__ SUSPENSION, REAR 17,500# .. \$___ SPRING, AUXILIARY EACH SIDE \$__ TIRES, SIX 11R/22.5G \$___ REAR TIRES ON/OFF ROAD, 11R/22.5G\$ RIMS, SET OF SEVEN 22.5X8.25 DISC 6, 8, OR 10 HOLE \$____ AIR CONDITIONING WITH CAB INSULATION PACKAGE \$_ LONG LIFE COOLANT WITH PREMIUM HOSES \$__ OIL FILLED FRONT HUBS \$__ TINTED GLASS \$___ WIPER, INTERMITTENT \$_ ENGINE, ALARM SYSTEM FOR LOW-OIL/HIGH-WATER \$__ CONNECTION WIRING FOR BODIES \$_ AGENCIES MAY OPT TO LEAVE OFF ONE OR MORE OPTIONS. THE PURCHASE ORDER WILL REFLECT THE ACTUAL ORDER BEING PLACED. 00009 COMMODITY CODE: 070-51-086612 LT OPTIONS NOT LISTED, TRUCK CHASSIS, 22,500 - 26,000 GVWR

VENDOR NUMBER:

TTB NO. : 10-X-2218172 OPEN DATE : 07/15/10 TIME: 10:00 AM INVITATION TO BID

T-NUMBER T193

RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE 16

LINE EXTENDED COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. TO BE BILLED AT DEALER INVOICE PRICING ---- --END GROUPING LINES: 00007 - 00009 ----- GRP TOTAL ---- --- BEGIN GROUPING LINES: 00010 -----00010 COMMODITY CODE: 070-51-086613 CHASSIS, TRUCK 22,500 - 26,000 GVWR, NEW LATEST MODEL TO INCLUDE ALL STANDARD EQUIPMENT FOR THE BASE MODEL WITH THE FOLLOWING MINIMUM SPECS: 1 EACREW CAB WHEEL BASE: 188" - 197"
CAB TO AXLE: 82" - 84"
SINGLE AXLE DIESEL ENGINE EMISSIONS TECHNOLOGY: ADVANCED EGR __ MODEL: _ 00011 COMMODITY CODE: 070-51-086614 OPTION PACKAGE, TRUCK CHASSIS, 22,500 -1 LT26,000 GVWR: FRONT AXLE W/POWER STEERING 9,000# \$_ REAR AXLE 1 SPEED 17500# MIN CAPACITY\$ HYDRAULIC SPLIT SYSTEM BRAKES W/AUTO ADJUSTMENT & 4 CHANNEL ABS \$_ TILT HOOD \$_ SET OF WESTERN MIRRORS 6"X16" W/5" CONVEX SPOT \$ SUN VISOR, RIGHT HAND \$__ SEAT, BENCH \$___ ALTERNATOR, 120 AMP MIN ... \$__ RADIO, AM/FM \$_ VENT, COWL \$___ TOW HOOKS, FRONT \$___ ALARM, BACK UP MIN 90DBA .. \$__ DIESEL 300 HP 660 LB - FT TORQUE WET SLEEVE \$_ TRANSMISSION, ALLISON 2200RDS PROVISION \$_ FRAME, RMB'S MIN 900,000# \$___

VENDOR NUMBER: ITB NO. : 10-X-2218172
OPEN DATE : 07/15/10 TIME: 10:00 AM
T-NUMBER : T193
RETURN DATE: 07/14/10 TIME: 5:00 PM PAGE 17 INVITATION TO BID

EXTENDED AMOUNT LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE NO.

	FUEL TANK, 50 GALLON MIN, ALUMINUM W/ STEP	\$				
	SUSPENSION, FRONT 8000#	\$				
	SUSPENSION, REAR 17,500#	\$				
	SPRING, AUXILIARY EACH SIDE	\$				
	TIRES, SIX 11R/22.5G	\$				
	REAR TIRES ON/OFF ROAD 11R/22.5G	. \$				
	RIMS, SET OF SEVEN 22.5X8.256, 8, OR 10 HOLE					
	AIR CONDITIONING WITH CAB INSULATION PACKAGE	\$				
	LONG LIFE COOLANT WITH PREMIUM HOSES	\$				
	OIL FILLED FRONT HUBS	\$				
	TINTED GLASS	\$				
	WIPER, INTERMITTENT	\$				
	ENGINE, ALARM SYSTEM FOR LOW-OIL/HIGH-WATER	\$				
	CONNECTION WIRING FOR BODIES	\$				
	* AGENCIES MAY OPT TO LEAVE MORE OPTIONS. THE PURCHAS REFLECT THE ACTUAL ORDER B	SE ORDER WILL				
00012	COMMODITY CODE: 070-51-08600 OPTIONS NOT LISTED, TRUCK CF 22,500 - 26,000 GVWR		1	LT		
	TO BE BILLED AT DEALER INVO	ICE PRICING				
	END GROUPING LINES: 00010	0 - 00012			GRP TOTAL	
	BEGIN GROUPING LINES: 00	0013				
00013	COMMODITY CODE: 070-51-08662 CHASSIS, TRUCK 26,001 - 30,0 NEW LATEST MODEL TO INCLUDE EQUIPMENT FOR THE BASE MODEL FOLLOWING MINIMUM SPECS:	000 GVWR, ALL STANDARD	1	EA		
	STANDARD CAB WHEEL BASE: 170" - 192" CAB TO AXLE: 101" MINIMUM SINGLE AXLE DIESEL ENGINE					

VENDOR NUMBER:

TTB NO. : 10-X-2218172 OPEN DATE : 07/15/10 TIME: 10:00 AM T-NUMBER : T193 PAGE 18 INVITATION TO BID

RETURN DATE: 07/14/10 TIME: 5:00 PM

LINE EXTENDED COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. EMISSIONS TECHNOLOGY: ADVANCED EGR MFR: MODEL: 00014 COMMODITY CODE: 070-51-086617 OPTION PACKAGE, TRUCK CHASSIS, 26,001 - 30,000 GVWR: LTFRONT AXLE W/POWER STEERING 8,000# \$_ REAR AXLE 1 SPEED 19000# MIN CAPACITY \$_ BRAKES, AIR FULL (ABS) \$_ BRAKES, AIR COMPRESSOR 13.2 CFM MIN. \$_ BRAKES, AIR DRYER \$_ BRAKES, AUTOMATIC MOISTURE EJECTOR \$_ BRAKES, AUTO SLACK ADJUSTER ALL WHEEL \$_ BRAKES, DUST SHIELDS \$__ TILT HOOD \$_ SET OF WESTERN MIRRORS 6"X16" W/5" CONVEX SPOT \$_ SUN VISOR, RIGHT HAND \$__ SEAT, BENCH \$__ ALTERNATOR, 120 AMP MIN ... \$__ RADIO, AM/FM \$_ VENT, COWL \$__ TOW HOOKS, FRONT \$__ ALARM, BACK UP MIN 90DBA .. \$_ DIESEL 300 HP 660 LB - FT TORQUE WET SLEEVE \$_ TRANSMISSION, ALLISON 3500RDS 5 SPEED AUTOMATIC \$_ FRAME, RMB'S MIN 900,000#...\$___ FUEL TANK, 45 GALLON MIN, ALUMINUM W/ STEP \$_ SUSPENSION, FRONT 8000# ... \$___ SUSPENSION, REAR 19,000# .. \$___

VENDOR NUMBER: ITB NO. : 10-X-2218172
OPEN DATE : 07/15/10 TIME: 10:00 AM
T-NUMBER : T193
RETURN DATE: 07/14/10 TIME: 5:00 PM INVITATION TO BID

PAGE 19

EXTENDED AMOUNT LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE NO.

	SPRING, AUXILIARY EACH SIDE \$					
	TIRES, SIX 11R/22.5G \$					
	REAR TIRES ON/OFF ROAD 11R/22.5G \$					
	RIMS, SET OF SEVEN 22.5X8.25 DISC 6, 8, OR 10 HOLE \$					
	AIR CONDITIONING WITH CAB INSULATION PACKAGE \$					
	LONG LIFE COOLANT WITH PREMIUM HOSES \$					
	OIL FILLED FRONT HUBS \$					
	TINTED GLASS \$					
	DOOR STRAPS \$					
	WIPER, INTERMITTENT \$					
	ENGINE, ALARM SYSTEM FOR LOW-OIL/HIGH-WATER \$					
	HOR, DUAL AIR \$					
	CONNECTION WIRING FOR BODIES \$					
	* AGENCIES MAY OPT TO LEAVE OFF ONE OR MORE OPTIONS. THE PURCHASE ORDER WILL REFLECT THE ACTUAL ORDER BEING PLACED.					
00015	COMMODITY CODE: 070-51-086618 OPTIONS NOT LISTED, TRUCK CHASSIS, 26,001 - 30,000 GVWR	1	LT		_	
	TO BE BILLED AT DEALER INVOICE PRICING					
	END GROUPING LINES: 00013 - 00015			GRP TOTAL		
	BEGIN GROUPING LINES: 00016				_	
00016	COMMODITY CODE: 070-51-086619 CHASSIS, TRUCK 26,001 - 30,000 GVWR, NEW LATEST MODEL TO INCLUDE ALL STANDARD EQUIPMENT FOR THE BASE MODEL WITH THE FOLLOWING MINIMUM SPECS:	1	EA		_	
	CREW CAB WHEEL BASE: 188" - 197" CAB TO AXLE: 82" - 84" SINGLE AXLE DIESEL ENGINE					
	EMISSIONS TECHNOLOGY: ADVANCED EGR					
	MFR: MODEL:					

VENDOR NUMBER:

ITB NO.

INVITATION TO BID OPEN DATE

: 10-X-2218172 : 07/15/10 TIME: 10:00 AM : T193 T-NUMBER

PAGE 20

RETURN DATE: 07/14/10 TIME: 5:00 PM

LINE EXTENDED COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO.

00017 COMMODITY CODE: 070-51-086620 OPTION PACKAGE, TRUCK CHASSIS, 26,001 -LT 1 30,000 GVWR: FRONT AXLE W/POWER STEERING 8,000# \$ REAR AXLE 1 SPEED 19000# MIN CAPACITY \$_ TILT HOOD \$_ SET OF WESTERN MIRRORS 6"X16" W/5" COVEX SPOT\$_ SUN VISOR, RIGHT HAND \$___ SEAT, BENCH \$__ ALTERNATOR, 120 AMP MIN ... \$_ RADIO, AM/FM \$__ VENT, COWL \$__ TOW HOOKS, FRONT \$___ ALARM, BACK UP MIN 90DBA .. \$___ DIESEL 300 HP 660 LB - FT TORQUE WET SLEEVE \$ TRANSMISSION, ALLISON 3500RDS 5 SPEED AUTOMATIC \$_ FRAME, RMB'S MIN 900,000#...\$__ FUEL TANK, 45 GALLON MIN, ALUMINUM W/ STEP \$_ SUSPENSION, FRONT 8000# ... \$___ SUSPENSION, REAR 19,000# .. \$___ SPRING, AUXILIARY EACH SIDE \$___ TIRES, SIX 11R/22.5G \$_ REAR TIRES ON/OFF ROAD 11R/22.5G \$_ RIMS, SET OF SEVEN 22.5X8.25 DISC 6, 8, OR 10 HOLE \$____ AIR CONDITIONING WITH CAB INSULATION PACKAGE\$_ LONG LIFE COOLANT WITH PREMIUM HOSES \$_ OIL FILLED FRONT HUBS \$_

INVITATION TO BID

LINE

VENDOR NAME :

VENDOR NUMBER:

ITB NO. : 10-X-2218172 OPEN DATE : 07/15/10 TIME: 10:00 AM T193

PAGE 21

EXTENDED

T-NUMBER

RETURN DATE: 07/14/10 TIME: 5:00 PM

COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. TINTED GLASS \$___ WIPER, INTERMITTENT \$__ ENGINE, ALARM SYSTEM FOR LOW-OIL/HIGH-WATER \$_ LOW-OIL/HIGH-WATER \$___ HORN, DUAL AIR \$__ BRAKES, AIR FULL (ABS) \$_ BRAKES, AIR COMPRESSOR 13.2 CFM MIN. \$_ BRAKES, AIR DRYER \$_ BRAKES, AUTOMATIC MOISTURE EJECTOR \$_ AUTO SLACK ADJUSTER ALL WHEEL \$_ WIRING CONNECTION FOR BODIES \$_ * AGENCIES MAY OPT TO LEAVE OFF ONE OR MORE OPTIONS. THE PURCHASE ORDER WILL REFLECT THE ACTUAL ORDER BEING PLACED. 00018 COMMODITY CODE: 070-51-086621 LT OPTIONS NOT LISTED, TRUCK CHASSIS, 26,001 - 30,000 GVWR TO BE BILLED AT DEALER INVOICE PRICING ---- --END GROUPING LINES: 00016 - 00018 ----- GRP TOTAL ---- BEGIN GROUPING LINES: 00019 -----00019 COMMODITY CODE: 070-51-086622 CHASSIS, TRUCK 35,00 AND GREATER, NEW LATEST MODEL TO INCLUDE ALL STANDARD EQUIPMENT FOR THE BASE MODEL WITH THE FOLLOWING MINIMUM SPECS: 1 EΑ STANDARD CAB WHEEL BASE: 150" - 158"
CAB TO AXLE: 83" - 84"
SINGLE AXLE DIESEL ENGINE EMISSIONS TECHNOLOGY: ADVANCED EGR MFR: MODEL: 00020 COMMODITY CODE: 070-51-086623 OPTION PACKAGE, TRUCK CHASSIS, 35,000 1 LTAND > GVWR:

LINE

INVITATION TO BID

PAGE 22

VENDOR NUMBER: ITB NO. : 10-X-2218172
OPEN DATE : 07/15/10 TIME: 10:00 AM
T-NUMBER : T193
RETURN DATE: 07/14/10 TIME: 5:00 PM

EXTENDED AMOUNT COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE NO.

FRONT AXLE W/POWER STEERING 12,000# \$	5
REAR AXLE 1 SPEED 23000# MIN CAPACITY	5
TILT HOOD \$	5
SET OF WESTERN MIRRORS 6"X16" W/5" CONVEX SPOT \$	S
SUN VISOR, RIGHT HAND \$	5
AIR RIDE DRIVER'S HIGH BACK SWITH FIXED ONE PASSENGER MID BACK SEATS	SEAT
ALTERNATOR, 120 AMP MIN \$	5
RADIO, AM/FM \$	5
VENT, COWL \$	5
TOW HOOKS, FRONT \$	5
ALARM, BACK UP MIN 90DBA \$	S
DIESEL 260 HP 660 LB - FT TORQUE WET SLEEVE \$	S
TRANSMISSION, ALLISON 3500RDS 5 SPEED AUTOMATIC	S
FRAME, RMB'S MIN 1,200,000# \$	5
FUEL TANK, 50 GALLON MIN, ALUMINUM W/ STEP \$	5
SUSPENSION, FRONT 12,000#\$	5
SUSPENSION, REAR 23,000# \$	5
SPRING, AUXILIARY EACH SIDE \$	5
TIRES, SIX 11R/22.5H \$	5
REAR TIRES ON/OFF ROAD 11R/22.5H \$	5
RIMS, SET OF SEVEN 22.5X8.25 DISC 10 HOLE	5
AIR CONDITIONING WITH CAB INSULATION PACKAGE \$	5
LONG LIFE COOLANT WITH PREMIUTE HOSES, ENGINE FAN DRIVE, DIRECTOR DRIVE W/ 2-SPEED W/ RESIDUAL TORQUE DEVICE	CT
OIL FILLED FRONT HUBS \$	

INVITATION TO BID

VENDOR NAME :

VENDOR NUMBER:

TTB NO. : 10-X-2218172 OPEN DATE : 07/15/10 TIME: 10:00 AM T-NUMBER T193

PAGE 23

RETURN DATE: 07/14/10 TIME: 5:00 PM

EXTENDED LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. TINTED GLASS \$___ WIPER, INTERMITTENT \$__ ENGINE, ALARM SYSTEM \$_ LOW-OIL/HIGH-WATER \$__ HORN, DUAL AIR \$___ BRAKES, AIR FULL (ABS) \$_ BRAKES, AIR COMPRESSOR 13.2 CFM MIN. \$_ BRAKES, AIR DRYER \$_ BRAKES, AUTOMATIC MOISTURE EJECTOR \$_ BRAKES, AUTO SLACK ADJUSTER ALL WHEEL \$_ BRAKES, DUST SHIELDS \$_ BRAKES, RAISED OR REVERSED BRAKE CHAMBERS \$_ WIRING CONNECTION FOR BODIES \$_ * AGENCIES MAY OPT TO LEAVE OFF ONE OR MORE OPTIONS. THE PURCHASE ORDER WILL REFLECT THE ACTUAL ORDER BEING PLACED. 00021 COMMODITY CODE: 070-51-086624 LTOPTIONS NOT LISTED, TRUCK CHASSIS, 35,000 AND > GVWR TO BE BILLED AT DEALER INVOICE PRICING ---- --END GROUPING LINES: 00019 - 00021 ----- GRP TOTAL ---- --- BEGIN GROUPING LINES: 00022 ----- ---- ----00022 COMMODITY CODE: 070-51-086625 CHASSIS, TRUCK 44,000 AND GREATER, NEW LATEST MODEL TO INCLUDE ALL STANDARD EQUIPMENT FOR THE BASE MODEL WITH THE FOLLOWING MINIMUM SPECS: 1 EΑ STANDARD CAB WHEEL BASE: 168" - 192" CAB TO AXLE: 101" MINIMUM TANDEM AXLE EMISSIONS TECHNOLOGY: ADVANCED EGR __ MODEL: _ 00023 COMMODITY CODE: 070-51-086626 LT OPTION PACKAGE, TRUCK CHASSIS, 44,000

LINE

VENDOR NUMBER:

TTB NO. : 10-X-2218172 OPEN DATE : 07/15/10 TIME: 10:00 AM T-NUMBER : T193 INVITATION TO BID

RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE 24

EXTENDED

COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO.

AND > GVWR: FRONT AXLE W/POWER STEERING 12,000# \$_ REAR AXLES 1 SPEED 40000 MIN CAPACITY \$_ TILT HOOD \$_ SET OF WESTERN MIRRORS 6"X16" W/5" CONVEX SPOT \$_ SUN VISOR, RIGHT HAND \$_ AIR RIDE DRIVER'S HIGH BACK SEAT WITH FIXED ONE PASSENGER MID BACK SEATS \$ ALTERNATOR, 120 AMP MIN ... \$_ RADIO, AM/FM \$__ VENT, COWL \$_ TOW HOOKS, FRONT \$__ ALARM, BACK UP MIN 90DBA .. \$_ DIESEL 300 HP 860 LB - FT TORQUE WET SLEEVE, C SERIES CUMMINGS, INTERNATIONAL DT 466 OR EQUAL \$ TRANSMISSION, ALLISON M3500RDS 6 SPEED AUTOMATIC \$_ FRAME, RMB'S MIN 2,600,000 \$_ FUEL TANK, 50 GALLON MIN, ALUMINUM W/ STEP \$_ SUSPENSION, FRONT 12000 ... \$__ SUSPENSION, REAR 40000 \$_ SPRING, WALKING BEAM SUSPENSION 40,000 \$_ TIRES, SIX 11R/22.5H \$___ REAR TIRES ON/OFF ROAD 11R/22.5H \$_ RIMS, SET OF SEVEN 22.5X8.25 DISC 10 HOLE \$_ AIR CONDITIONING WITH CAB INSULATION PACKAGE \$_ LONG LIFE COOLANT WITH PREMIUM HOSES, ENGINE FAN DRIVE, DIRECT

VENDOR NAME :

VENDOR NUMBER:

ITB NO. : 10-X-2218172 PAGE 25
INVITATION TO BID OPEN DATE : 07/15/10 TIME: 10:00 AM

T-NUMBER : T193

RETURN DATE: 07/14/10 TIME: 5:00 PM

EXTENDED LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. DRIVE W/ 2-SPEED W/ RESIDUAL TORQUE DEVICE \$_ OIL FILLED FRONT HUBS \$___ TINTED GLASS \$___ WIPER, INTERMITTENT \$__ ENGINE, ALARM SYSTEM FOR
LOW-OIL/HIGH-WATER \$_ HORN, DUAL AIR \$___ BRAKES, AIR FULL (ABS) \$_ BRAKES, AIR COMPRESSOR 13.2 CFM MIN. \$_ BRAKES, AIR DRYER \$_ BRAKES, AUTOMATIC MOISTURE EJECTOR \$_ BRAKES, AUTO SLACK ADJUSTER ALL WHEEL \$_ BRAKES, DUST SHIELDS \$_ BRAKES, RAISED OR REVERSED BRAKE CHAMBERS, INSIDE TIRE ENVELOPE\$ TRACTOR PACKAGE (AIR AND ELECTRIC LINES TO END OF FRAME WITH GLAD HANDS AND SEVEN (7) PIN RECEPTICAL) \$_ WIRING CONNECTION FOR BODIES \$_ AGENCIES MAY OPT TO LEAVE OFF ONE OR MORE OPTIONS. THE PURCHASE ORDER WILL REFLECT THE ACTUAL ORDER BEING PLACED. 00024 COMMODITY CODE: 070-51-086627 LTOPTIONS NOT LISTED, TRUCK CHASSIS, 44,000 AND > GVWR TO BE BILLED AT DEALER INVOICE PRICING ---- --END GROUPING LINES: 00022 - 00024 ----- GRP TOTAL ---- --- BEGIN GROUPING LINES: 00031 ------ ---- -----_____ 00031 COMMODITY CODE: 070-51-087340 1 EΑ CHASSIS, TRUCK 40,000 AND GREATER, NEW LATEST MODEL TO INCLUDE ALL STANDARD EQUIPMENT FOR THE BASE MODEL WITH THE FOLLOWING MINIMUM SPECS: STANDARD CAB

REAR TIRES ON/OFF ROAD \$___

VENDOR NUMBER:

INVITATION TO BID

TTB NO. : 10-X-2218172 OPEN DATE : 07/15/10 TIME: 10:00 AM T-NUMBER : T193

RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE 26

LINE EXTENDED COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO.

WHEEL BASE: APPX. 193" CAB TO AXLE: 120" SINGLE AXLE EMISSIONS TECHNOLOGY: ADVANCED EGR _ MODEL: 00032 COMMODITY CODE: 070-51-087341 OPTION PACKAGE, TRUCK CHASSIS, 40,000 1 T.T AND > GVWR: FRONT AXLE W/POWER STEERING 14,000# \$_ REAR AXLES 1 SPEED 26000# CAPACITY \$_ TILT HOOD \$_ SET OF WESTERN MIRRORS 6"X16" W/5" CONVEX SPOT \$_ SUN VISOR, RIGHT HAND \$_ AIR RIDE DRIVER'S HIGH BACK SEAT WITH FIXED ONE PASSENGER HIGH BACK SEAT\$ ALTERNATOR, 120 AMP MIN ... \$_ RADIO, AM/FM \$_ VENT, COWL \$__ CLEAR FRAME AFT OF CAB \$_ TOW HOOKS, FRONT \$_ ALARM, BACK UP MIN 90DBA .. \$_ DIESEL 300 HP 860 LB - FT TORQUE WET SLEEVE \$ TRANSMISSION, ALLISON 3500RDS 5 SPEED AUTOMATIC \$_ FRAME, RMB'S MIN 1,200,000# \$_ FUEL TANK, 50 GALLON MIN, ALUMINUM W/ STEP \$__ SUSPENSION, FRONT 14000# .. \$___ SUSPENSION, REAR 26000# ... \$___ SPRING, AUXILIARY EACH SIDE \$_ TIRES, SIX RADIAL TO MEET GVWR \$_

VENDOR NUMBER: ITB NO. : 10-X-2218172
OPEN DATE : 07/15/10 TIME: 10:00 AM
T-NUMBER : T193
RETURN DATE: 07/14/10 TIME: 5:00 PM INVITATION TO BID

PAGE 27

EXTENDED AMOUNT LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE NO.

	RIMS, SET OF SEVEN, 22.5X8.						
	AIR CONDITIONING WITH CAB INSULATION PACKAGE						
	LONG LIFE COOLANT WITH PREM. HOSES, ENGINE FAN DRIVE, DI DRIVE W/ 2-SPEED W/ RESIDUAL TORQUE DEVICE	RECT L					
	OIL FILLED FRONT HUBS	\$					
	TINTED GLASS	\$					
	WIPER, INTERMITTENT	\$					
	ENGINE, ALARM SYSTEM FOR LOW-OIL/HIGH-WATER	\$					
	HORN, DUAL AIR	\$					
	BRAKES, AIR FULL (ABS)	\$					
	BRAKES, AIR COMPRESSOR 13.2 CFM MIN	\$					
	BRAKES, AIR DRYER	\$					
	BRAKES, AUTOMATIC MOISTURE EJECTOR	\$					
	BRAKES, AUTO SLACK ADJUSTER ALL WHEEL	\$					
	BRAKES, DUST SHIELDS	\$					
	BRAKES, RAISED OR REVERSED BRAKE CHAMBERS	\$					
	WIRING CONNECTION FOR BODIES	\$					
	CRUISE CONTROL, ENABLED TO FUNCTION @ 11 MPH	\$					
	* AGENCIES MAY OPT TO LEAVE MORE OPTIONS. THE PURCHA REFLECT THE ACTUAL ORDER	SE ORDER WILL					
00033	COMMODITY CODE: 070-51-0873- OPTIONS NOT LISTED, TRUCK CI 40,000 AND > GVWR		1	LT		_	
	TO BE BILLED AT DEALER INVO	ICE PRICING					
	END GROUPING LINES: 0003	1 - 00033			GRP TOTAL		
	BEGIN GROUPING LINES: 0	0040				_	
00040	COMMODITY CODE: 070-51-0651	97	1	EA		_	

VENDOR NUMBER:

TTB NO. : 10-X-2218172 OPEN DATE : 07/15/10 TIME: 10:00 AM T-NUMBER : T193 INVITATION TO BID

RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE 28

LINE NO.

EXTENDED COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT CHASSIS, TRUCK 19,000-22,499 GVWR, NEW LATEST MODEL TO INCLUDE ALL STANDARD EQUIPMENT FOR THE BASE MODEL WITH THE FOLLOWING MINIMUM SPECS: STANDARD CAB WHEEL BASE: 150" - 158"
CAB TO AXLE: 83" - 84"
SINGLE AXLE
DIESEL ENGINE EMISSIONS TECHNOLOGY: SCR MFR: _ __ MODEL: _ 1 LT

00041 COMMODITY CODE: 070-51-065198 OPTION PACKAGE, TRUCK CHASSIS, 19,000 -22,499 GVWR: FRONT AXLE W/POWER STEERING 6,000# \$_ REAR AXLE 1 SPEED 15000# MIN CAPACITY \$ HYDRAULIC SPLIT SYSTEM BRAKES W/AUTO ADJUSTMENT & 4 CHANNEL ABS \$____ TILT HOOD \$_ SET OF WESTERN MIRRORS 6"X16 SPOT \$_ SUN VISOR, RIGHT HAND \$__ SEAT, BENCH \$_ ALTERNATOR, 120 AMP MIN ... \$_ RADIO, AM/FM \$_ VENT, COWL \$___ TOW HOOKS, FRONT \$__ ALARM, BACK UP MIN 90DBA .. \$_ DIESEL 300 HP 660 LB - FT TORQUE WET SLEEVE \$_ TRANSMISSION, ALLISON 2200RDS PROVISION \$_ FRAME, RMB'S MIN 866,000# . \$___ FUEL TANK, 45 GALLON MIN, ALUMINUM W/ STEP \$_ SUSPENSION, FRONT 6000# ... \$___

SUSPENSION, REAR 15,000# .. \$__

VENDOR NUMBER: ITB NO. : 10-X-2218172
OPEN DATE : 07/15/10 TIME: 10:00 AM
T-NUMBER : T193
RETURN DATE: 07/14/10 TIME: 5:00 PM PAGE 29 INVITATION TO BID

EXTENDED LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE NO. AMOUNT

	SPRING, AUXILIARY EACH SIDE \$				
	TIRES, SIX 9R/22.5F \$				
	RIMS, SET OF SEVEN 22.5X6.75 DISC 6 OR 8 HOLE \$				
	AIR CONDITIONING WITH CAB INSULATION PACKAGE \$				
	LONG LIFE COOLANT W/PREMIUM HOSES \$				
	OIL FILLED FRONT HUBS \$				
	TINTED GLASS \$				
	DOOR STRAPS \$				
	WIPER, INTERMITTENT \$				
	CONNECTION WIRING FOR BODIES \$				
	* AGENCIES MAY OPT TO LEAVE OFF ONE OR MORE OPTIONS. THE PURCHASE ORDER WILL REFLECT THE ACTUAL ORDER BEING PLACED.				
00042	COMMODITY CODE: 070-51-065199 OPTIONS NOT LISTED, TRUCK CHASSIS, 19,000 - 22,499 GVWR	1	LT		
	TO BE BILLED AT DEALER INVOICE PRICING				
	END GROUPING LINES: 00040 - 00042			GRP TOTAL	
	BEGIN GROUPING LINES: 00043				
00043	COMMODITY CODE: 070-51-065200 CHASSIS, TRUCK 19,000 - 22,499 GVWR, NEW LATEST MODEL TO INCLUDE ALL STANDARD EQUIPMENT FOR THE BASE MODEL WITH THE FOLLOWING MINIMUM SPECS:	1	EA		
	CREW CAB WHEEL BASE: 188" - 197" CAB TO AXLE: 82" - 84" SINGLE AXLE DIESEL ENGINE				
	EMISSIONS TECHNOLOGY: SCR				
	MFR: MODEL:				
00044	COMMODITY CODE: 070-51-065201 OPTION PACKAGE, TRUCK CHASSIS, 19,000 - 22,499 GVWR:	1	LT		
	FRONT AXLE W/POWER STEERING 6,000# \$				
	REAR AXLE 1 SPEED 15000# MIN				
	PAGE TOTAL				

VENDOR NUMBER:

ITB NO.

: 10-X-2218172 : 07/15/10 TIME: 10:00 AM : T193 INVITATION TO BID OPEN DATE

T-NUMBER RETURN DATE: 07/14/10 TIME: 5:00 PM PAGE 30

EXTENDED

LINE

COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. CAPACITY \$_ HYDRAULIC SPLIT SYSTEM BRAKES W/AUTO ADJUSTMENT & 4 CHANNEL ABS \$_ TILT HOOD \$_ SET OF WESTERN MIRRORS 6"X16 SPOT \$_ SUN VISOR, RIGHT HAND \$_ SEAT, BENCH \$__ ALTERNATOR, 120 AMP MIN ... \$_ RADIO, AM/FM \$__ VENT, COWL \$_ TOW HOOKS, FRONT \$__ ALARM, BACK UP MIN 90DBA .. \$_ DIESEL 300 HP 660 LB - FT TORQUE WET SLEEVE \$_ TRANSMISSION, ALLISON 2200RDS PROVISION \$___ FRAME, RMB'S MIN 866,000# . \$__ FUEL TANK, 45 GALLON MIN, ALUMINUM W/ STEP \$_ SUSPENSION, FRONT 6000# ... \$__ SUSPENSION, REAR 15,000# .. \$__ SPRING, AUXILIARY EACH SIDE \$_ TIRES, SIX 9R/22.5F \$_ RIMS, SET OF SEVEN 22.5X6.75 DISC 6, 8 OR 10 HOLE \$_ AIR CONDITIONING WITH CAB INSULATION PACKAGE \$_ LONG LIFE COOLANT W/PREMIUM HOSES \$_ OIL FILLED FRONT HUBS \$__ TINTED GLASS \$___ WIPER, INTERMITTENT \$_ CONNECTION WIRING FOR BODIES \$_

PAGE TOTAL

ENGINE, ALARM SYSTEM FOR

VENDOR NAME :

VENDOR NUMBER:

ITB NO.

: 10-X-2218172 : 07/15/10 TIME: 10:00 AM INVITATION TO BID OPEN DATE

T-NUMBER T193

RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE 31

LINE EXTENDED COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. LOW-OIL/HIGH-WATER \$_ * AGENCIES MAY OPT TO LEAVE OFF ONE OR MORE OPTIONS. THE PURCHASE ORDER WILL REFLECT THE ACTUAL ORDER BEING PLACED. 00045 COMMODITY CODE: 070-51-065202 1 LTOPTIONS NOT LISTED, TRUCK CHASSIS, 19,000 - 22,499 GVWR TO BE BILLED AT DEALER INVOICE PRICING ---- --END GROUPING LINES: 00043 - 00045 ----- GRP TOTAL ---- BEGIN GROUPING LINES: 00046 ------ ---- ----______ 00046 COMMODITY CODE: 070-51-065203 CHASSIS, TRUCK 22,500 - 26,000 GVWR, NEW LATEST MODEL TO INCLUDE ALL STANDARD EQUIPMENT FOR THE BASE MODEL WITH THE FOLLOWING MINIMUM SPECS: 1 EΑ STANDARD CAB WHEEL BASE: 126" - 134" CAB TO AXLE: 60" SINGLE AXLE DIESEL ENGINE EMISSIONS TECHNOLOGY: SCR __ MODEL: _ MFR: _ 00047 COMMODITY CODE: 070-51-065204 LT OPTION PACKAGE, TRUCK CHASSIS, 22,500 -26,000 GVWR: FRONT AXLE W/POWER STEERING 8,000# \$_ REAR AXLE 1 SPEED 17,500# MIN CAPACITY\$ HYDRAULIC SPLIT SYSTEM BRAKES W/AUTO ADJUSTMENT & 4 CHANNEL ABS \$_____ TILT HOOD \$_ SET OF WESTERN MIRRORS 6"X16" W/5" CONVEX SPOT \$_ SUN VISOR, RIGHT HAND \$___ SEAT, BENCH \$___ ALTERNATOR, 120 AMP MIN ... \$__ RADIO, AM/FM \$_ VENT, COWL \$___ TOW HOOKS, FRONT \$_

INVITATION TO BID

VENDOR NUMBER: ITB NO. : 10-X-2218172
OPEN DATE : 07/15/10 TIME: 10:00 AM
T-NUMBER : T193
RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE 32

LINE EXTENDED COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE NO. AMOUNT

	ALARM, BACK UP MIN 90DBA	\$				
	DIESEL 300 HP 660 LB - FT TORQUE WET SLEEVE	\$				
	TRANSMISSION, ALLISON 2200RDS PROVISION	\$				
	FRAME, RMB'S MIN 866,000#	\$				
	FUEL TANK, 45 GALLON MIN, ALUMINUM W/ STEP	\$				
	SUSPENSION, FRONT 8000#	\$				
	SUSPENSION, REAR 17,500#	\$				
	SPRING, AUXILIARY EACH SIDE	\$				
	TIRES, SIX 11R/22.5G	\$				
	REAR TIRES ON/OFF ROAD 11R/22.5G	\$				
	RIMS, SET OF SEVEN 22.5X8.25 6, 8, OR 10 HOLE					
	AIR CONDITIONING WITH CAB INSULATION PACKAGE	\$				
	LONG LIFE COOLANT WITH PREMIUM HOSES	\$				
	OIL FILLED FRONT HUBS	\$				
	TINTED GLASS	\$				
	WIPER, INTERMITTENT	\$				
	ENGINE, ALARM SYSTEM FOR LOW-OIL/HIGH-WATER	\$				
	CONNECTION WIRING FOR BODIES	\$				
	* AGENCIES MAY OPT TO LEAVE MORE OPTIONS. THE PURCHAS REFLECT THE ACTUAL ORDER B	SE ORDER WILL				
00048	COMMODITY CODE: 070-51-06520 OPTIONS NOT LISTED, TRUCK CF 22,500 - 26,000 GVWR)5 HASSIS,	1	LT		
	TO BE BILLED AT DEALER INVO	ICE PRICING				
	END GROUPING LINES: 00046	5 - 00048			GRP TOTAL	
	BEGIN GROUPING LINES: 00	0049				
00049	COMMODITY CODE: 070-51-06520 CHASSIS, TRUCK 22,500 - 26,0 NEW LATEST MODEL TO INCLUDE	000 GVWR,	1	EA		

VENDOR NUMBER:

TTB NO. : 10-X-2218172 OPEN DATE : 07/15/10 TIME: 10:00 AM T-NUMBER : T193 INVITATION TO BID

RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE 33

LINE EXTENDED COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO.

EQUIPMENT FOR THE BASE MODEL WITH THE FOLLOWING MINIMUM SPECS: CREW CAB WHEEL BASE: 188" - 197" CAB TO AXLE: 82" - 84" SINGLE AXLE DIESEL ENGINE EMISSIONS TECHNOLOGY: SCR __ MODEL: MFR: 00050 COMMODITY CODE: 070-51-065207 OPTION PACKAGE, TRUCK CHASSIS, 22,500 -26,000 GVWR: 1 LTFRONT AXLE W/POWER STEERING 9,000# \$_ REAR AXLE 1 SPEED 1,7500# MIN CAPACITY \$_ HYDRAULIC SPLIT SYSTEM BRAKES W/AUTO ADJUSTMENT & 4 CHANNEL ABS \$_ TILT HOOD \$_ SET OF WESTERN MIRRORS 6"X16" W/5" CONVEX SPOT\$ SUN VISOR, RIGHT HAND \$ SEAT, BENCH \$___ ALTERNATOR, 120 AMP MIN ... \$_ RADIO, AM/FM \$_ VENT, COWL \$_ TOW HOOKS, FRONT \$__ ALARM, BACK UP MIN 90DBA .. \$_ DIESEL 300 HP 660 LB - FT TORQUE WET SLEEVE \$_ TRANSMISSION, ALLISON 2200RDS PROVISION \$_ FRAME, RMB'S MIN 900,000# FUEL TANK, 50 GALLON MIN, ALUMINUM W/ STEP \$_ SUSPENSION, FRONT 8500# ... \$__ SUSPENSION, REAR 17,500# .. \$___ SPRING, AUXILIARY EACH SIDE \$_

VENDOR NAME :

VENDOR NUMBER:

ITB NO. : 10-X-2218172 PAGE 34
INVITATION TO BID OPEN DATE : 07/15/10 TIME: 10:00 AM

T-NUMBER : T193

RETURN DATE: 07/14/10 TIME: 5:00 PM

EXTENDED LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. TIRES, SIX 11R/22.5G \$___ REAR TIRES ON/OFF ROAD 11R/22.5G \$_ RIMS, SET OF SEVEN 22.5X8.25 DISC 6, 8, OR 10 HOLE \$____ AIR CONDITIONING WITH CAB INSULATION PACKAGE \$_ LONG LIFE COOLANT WITH PREMIUM HOSES\$_ OIL FILLED FRONT HUBS \$___ TINTED GLASS \$___ WIPER, INTERMITTENT \$__ ENGINE, ALARM SYSTEM FOR LOW-OIL/HIGH-WATER \$___ CONNECTION WIRING FOR BODIES \$_ AGENCIES MAY OPT TO LEAVE OFF ONE OR MORE OPTIONS. THE PURCHASE ORDER WILL REFLECT THE ACTUAL ORDER BEING PLACED. 00051 COMMODITY CODE: 070-51-065208 LTOPTIONS NOT LISTED, TRUCK CHASSIS, 22,500 - 26,000 GVWR TO BE BILLED AT DEALER INVOICE PRICING ---- --END GROUPING LINES: 00049 - 00051 ----- GRP TOTAL ---- -- BEGIN GROUPING LINES: 00052 -----00052 COMMODITY CODE: 070-51-065209 CHASSIS, TRUCK 26,001 - 30,000 GVWR, NEW LATEST MODEL TO INCLUDE ALL STANDARD EQUIPMENT FOR THE BASE MODEL WITH THE FOLLOWING MINIMUM SPECS: 1 EΑ STANDARD CAB WHEEL BASE: 170" - 192" CAB TO AXLE: 101" MINIMUM SINGLE AXLE DIESEL ENGINE EMISSIONS TECHNOLOGY: SCR MODEL: 00053 COMMODITY CODE: 070-51-065210 OPTION PACKAGE, TRUCK CHASSIS, 26,001 -LT 30,000 GVWR: FRONT AXLE W/POWER STEERING 8,000# \$_

LINE

INVITATION TO BID

VENDOR NUMBER: ITB NO. : 10-X-2218172
OPEN DATE : 07/15/10 TIME: 10:00 AM
T-NUMBER : T193
RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE 35

EXTENDED AMOUNT COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE NO.

REAR AXLE 1 SPEED 19000# MIN CAPACITY	\$
BRAKES, AIR FULL (ABS)	\$
BRAKES, AIR COMPRESSOR 13.2 CFM MIN	\$
BRAKES, AIR DRYER	\$
BRAKES, AUTOMATIC MOISTURE EJECTOR	\$
BRAKES, AUTO SLACK ADJUSTER ALL WHEEL	\$
BRAKES, DUST SHIELDS	\$
TILT HOOD	\$
SET OF WESTERN MIRRORS 6"X16" W/5" CONVEX SPOT	\$" \$
SUN VISOR, RIGHT HAND	\$
SEAT, BENCH	\$
ALTERNATOR, 120 AMP MIN	\$
RADIO, AM/FM	\$
VENT, COWL	\$
TOW HOOKS, FRONT	\$
ALARM, BACK UP MIN 90DBA	\$
DIESEL 300 HP 660 LB - FT TORQUE WET SLEEVE	\$
TRANSMISSION, ALLISON 3500RI 5 SPEED AUTOMATIC)S \$
FRAME, RMB'S MIN 900,000#	\$
FUEL TANK, 45 GALLON MIN, ALUMINUM W/ STEP	\$
SUSPENSION, FRONT 8000#	\$
SUSPENSION, REAR 19,000#	\$
SPRING, AUXILIARY EACH SIDE	\$
TIRES, SIX 11R/22.5G	\$
REAR TIRES ON/OFF ROAD 11R/22.5G	\$
RIMS, SET OF SEVEN 22.5X8.25 6, 8, OR 10 HOLE	

VENDOR NUMBER:

ITB NO.

: 10-X-2218172 : 07/15/10 TIME: 10:00 AM INVITATION TO BID OPEN DATE

T-NUMBER T193

RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE 36

EXTENDED LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. AIR CONDITIONING WITH CAB INSULATION PACKAGE \$ LONG LIFE COOLANT WITH PREMIUM HOSES \$_ OIL FILLED FRONT HUBS \$__ TINTED GLASS \$___ DOOR STRAPS \$__ WIPER, INTERMITTENT \$__ ENGINE, ALARM SYSTEM FOR LOW-OIL/HIGH-WATER \$_ HOR, DUAL AIR \$___ CONNECTION WIRING FOR BODIES \$_ * AGENCIES MAY OPT TO LEAVE OFF ONE OR MORE OPTIONS. THE PURCHASE ORDER WILL REFLECT THE ACTUAL ORDER BEING PLACED. 00054 COMMODITY CODE: 070-51-065211 LTOPTIONS NOT LISTED, TRUCK CHASSIS, 26,001 - 30,000 GVWR TO BE BILLED AT DEALER INVOICE PRICING ---- --END GROUPING LINES: 00052 - 00054 ----- GRP TOTAL ---- --- BEGIN GROUPING LINES: 00055 ------ ---- ---- ----00055 COMMODITY CODE: 070-51-065212 CHASSIS, TRUCK 26,001 - 30,000 GVWR, NEW LATEST MODEL TO INCLUDE ALL STANDARD 1 EAEQUIPMENT FOR THE BASE MODEL WITH THE FOLLOWING MINIMUM SPECS: CREW CAB WHEEL BASE: 188" - 197" CAB TO AXLE: 82" - 84" SINGLE AXLE DIESEL ENGINE EMISSIONS TECHNOLOGY: SCR MFR: _ MODEL: 00056 COMMODITY CODE: 070-51-065213 1 LTOPTION PACKAGE, TRUCK CHASSIS, 26,001 -30,000 GVWR: FRONT AXLE W/POWER STEERING 8,000# \$_ REAR AXLE 1 SPEED 19000# MIN CAPACITY \$_

LINE

INVITATION TO BID

VENDOR NUMBER: ITB NO. : 10-X-2218172
OPEN DATE : 07/15/10 TIME: 10:00 AM
T-NUMBER : T193
RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE 37

EXTENDED AMOUNT COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE NO.

TILT HOOD \$
SET OF WESTERN MIRRORS 6"X16" W/5" COVEX SPOT \$
SUN VISOR, RIGHT HAND \$
SEAT, BENCH \$
ALTERNATOR, 120 AMP MIN \$
RADIO, AM/FM \$
VENT, COWL \$
TOW HOOKS, FRONT \$
ALARM, BACK UP MIN 90DBA \$
DIESEL 300 HP 660 LB - FT TORQUE WET SLEEVE \$
TRANSMISSION, ALLISON 3500RDS 5 SPEED AUTOMATIC \$
FRAME, RMB'S MIN 900,000#\$
FUEL TANK, 45 GALLON MIN, ALUMINUM W/ STEP \$
SUSPENSION, FRONT 8000# \$
SUSPENSION, REAR 19,000# \$
SPRING, AUXILIARY EACH SIDE \$
TIRES, SIX 11R/22.5G \$
REAR TIRES ON/OFF ROAD 11R/22.5G \$
RIMS, SET OF SEVEN 22.5X8.25 DISC 6, 8, OR 10 HOLE \$
AIR CONDITIONING WITH CAB INSULATION PACKAGE \$
LONG LIFE COOLANT WITH PREMIUM HOSES \$
OIL FILLED FRONT HUBS \$
TINTED GLASS \$
WIPER, INTERMITTENT \$
ENGINE, ALARM SYSTEM FOR LOW-OIL/HIGH-WATER \$
LOW-OIL/HIGH-WATER \$

LINE

VENDOR NAME :

PAGE 38 INVITATION TO BID

VENDOR NUMBER: ITB NO. : 10-X-2218172
OPEN DATE : 07/15/10 TIME: 10:00 AM
T-NUMBER : T193
RETURN DATE: 07/14/10 TIME: 5:00 PM

EXTENDED

NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY UN	IT UNIT PRICE	EXTENDED AMOUNT
	HORN, DUAL AIR \$			
	BRAKES, AIR FULL (ABS) \$			
	BRAKES, AIR COMPRESSOR 13.2 CFM MIN			
	BRAKES, AIR DRYER \$			
	BRAKES, AUTOMATIC MOISTURE EJECTOR \$			
	BRAKES, AUTO SLACK ADJUSTER ALL WHEEL \$			
	WIRING CONNECTION FOR BODIES \$			
	* AGENCIES MAY OPT TO LEAVE OFF ONE OR MORE OPTIONS. THE PURCHASE ORDER WILL REFLECT THE ACTUAL ORDER BEING PLACED.			
0057	COMMODITY CODE: 070-51-065214 OPTIONS NOT LISTED, TRUCK CHASSIS, 26,001 - 30,000 GVWR	1 LT		
	TO BE BILLED AT DEALER INVOICE PRICING			
	END GROUPING LINES: 00055 - 00057		GRP TOTAL	
	BEGIN GROUPING LINES: 00058			
0058	COMMODITY CODE: 070-51-065215 CHASSIS, TRUCK 35,000 AND GREATER, NEW LATEST MODEL TO INCLUDE ALL STANDARD EQUIPMENT FOR THE BASE MODEL WITH THE FOLLOWING MINIMUM SPECS:	1 EA		
	STANDARD CAB WHEEL BASE: 150" - 158" CAB TO AXLE: 83" - 84" SINGLE AXLE DIESEL ENGINE			
	EMISSIONS TECHNOLOGY: SCR			
	MFR: MODEL:			
0059	COMMODITY CODE: 070-51-065216 OPTION PACKAGE, TRUCK CHASSIS, 35,000 AND > GVWR:	1 LT		
	FRONT AXLE W/POWER STEERING 12,000# \$			
	REAR AXLE 1 SPEED 23000# MIN CAPACITY \$			
	TILT HOOD \$			
	SET OF WESTERN MIRRORS 6"X16" W/5" CONVEX SPOT\$			

INVITATION TO BID

VENDOR NUMBER: ITB NO. : 10-X-2218172
OPEN DATE : 07/15/10 TIME: 10:00 AM
T-NUMBER : T193
RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE 39

EXTENDED AMOUNT LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE NO.

SUN VISOR, RIGHT HAND \$
AIR RIDE DRIVER'S HIGH BACK SEAT WITH FIXED ONE PASSENGER MID BACK SEATS
ALTERNATOR, 120 AMP MIN \$
RADIO, AM/FM \$
VENT, COWL \$
TOW HOOKS, FRONT \$
ALARM, BACK UP MIN 90DBA \$
DIESEL 300 HP 860 LB - FT TORQUE WET SLEEVE \$
TRANSMISSION, ALLISON 3500RDS 5 SPEED AUTOMATIC \$
FRAME, RMB'S MIN 1,200,000# \$
FUEL TANK, 50 GALLON MIN, ALUMINUM W/ STEP \$
SUSPENSION, FRONT 12,000#\$
SUSPENSION, REAR 23,000# \$
SPRING, AUXILIARY EACH SIDE \$
TIRES, SIX 11R/22.5H \$
REAR TIRES ON/OFF ROAD 11R/22.5H \$
RIMS, SET OF SEVEN 22.5X8.25 DISC 10 HOLE \$
AIR CONDITIONING WITH CAB INSULATION PACKAGE \$
LONG LIFE COOLANT WITH PREMIUM HOSES, ENGINE FAN DRIVE, DIRECT DRIVE W/ 2-SPEED W/ RESIDUAL TORQUE DEVICE
OIL FILLED FRONT HUBS \$
TINTED GLASS \$
WIPER, INTERMITTENT \$
ENGINE, ALARM SYSTEM \$
LOW-OIL/HIGH-WATER \$
HORN, DUAL AIR \$

VENDOR NAME :

VENDOR NUMBER:

ITB NO.

: 10-X-2218172 : 07/15/10 TIME: 10:00 AM INVITATION TO BID OPEN DATE T-NUMBER T193

RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE 40

EXTENDED LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. BRAKES, AIR FULL (ABS) \$___ BRAKES, AIR COMPRESSOR 13.2 CFM MIN. \$_ BRAKES, AIR DRYER \$_ BRAKES, AUTOMATIC MOISTURE EJECTOR \$_ BRAKES, AUTO SLACK ADJUSTER ALL WHEEL \$_ BRAKES, DUST SHIELDS \$__ BRAKES, RAISED OR REVERSED BRAKE CHAMBERS \$_ WIRING CONNECTION FOR BODIES \$_ * AGENCIES MAY OPT TO LEAVE OFF ONE OR MORE OPTIONS. THE PURCHASE ORDER WILL REFLECT THE ACTUAL ORDER BEING PLACED. 00060 COMMODITY CODE: 070-51-065217 OPTIONS NOT LISTED, TRUCK CHASSIS, LT35,000 AND > GVWR TO BE BILLED AT DEALER INVOICE PRICING ---- --END GROUPING LINES: 00058 - 00060 ----- GRP TOTAL ---- BEGIN GROUPING LINES: 00061 ----- ---- ----00061 COMMODITY CODE: 070-51-065218 1 EΑ COMMODITY CODE: 0/0-51-065216 CHASSIS, TRUCK, 44,000 AND GREATER, NEW LATEST MODEL TO INCLUDE ALL STANDARD EQUIPMENT FOR THE BASE MODEL WITH THE FOLLOWING MINIMUM SPECS: STANDARD CAB WHEEL BASE: 168" - 192" CAB TO AXLE: 101" MINIMUM TANDEM AXLE EMISSIONS TECHNOLOGY: SCR __ MODEL: _ 00062 COMMODITY CODE: 070-51-065219 OPTION PACKAGE, TRUCK CHASSIS, 44,000 LT AND > GVWR: FRONT AXLE W/POWER STEERING 12,000# \$_ REAR AXLES 1 SPEED 40000 MIN CAPACITY \$__ TILT HOOD \$_

PAGE 41 INVITATION TO BID

VENDOR NUMBER: ITB NO. : 10-X-2218172
OPEN DATE : 07/15/10 TIME: 10:00 AM
T-NUMBER : T193
RETURN DATE: 07/14/10 TIME: 5:00 PM

EXTENDED AMOUNT LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE NO.

SET OF WESTERN MIRRORS 6"X16" W/5" CONVEX SPOT\$
SUN VISOR, RIGHT HAND \$
AIR RIDE DRIVER'S HIGH BACK SEAT WITH FIXED ONE PASSENGER MID BACK SEATS\$
ALTERNATOR, 120 AMP MIN \$
RADIO, AM/FM \$
VENT, COWL \$
TOW HOOKS, FRONT \$
ALARM, BACK UP MIN 90DBA \$
DIESEL 300 HP 860 LB - FT TORQUE WET SLEEVE, C SERIES CUMMINGS, INTERNATIONAL DT 466 OR EQUAL\$
TRANSMISSION, ALLISON M3500RDS 6 SPEED AUTOMATIC\$
FRAME, RMB'S MIN 2,600,000 \$
FUEL TANK, 50 GALLON MIN, ALUMINUM W/ STEP \$
SUSPENSION, FRONT 12000 \$
SUSPENSION, REAR 40000 \$
SPRING, WALKING BEAM SUSPENSION 40,000\$
TIRES, SIX 11R/22.5G \$
REAR TIRES ON/OFF ROAD 11R/22.5G\$
RIMS, SET OF SEVEN 22.5X8.25 DISC 10 HOLE\$
AIR CONDITIONING WITH CAB INSULATION PACKAGE \$
LONG LIFE COOLANT WITH PREMIUM HOSES, ENGINE FAN DRIVE, DIRECT DRIVE W/ 2-SPEED W/ RESIDUAL TORQUE DEVICE\$
OIL FILLED FRONT HUBS \$
TINTED GLASS \$
WIPER, INTERMITTENT \$
ENGINE, ALARM SYSTEM FOR

INVITATION TO BID

PAGE TOTAL

VENDOR NAME :

VENDOR NUMBER:

TTB NO. : 10-X-2218172 OPEN DATE : 07/15/10 TIME: 10:00 AM T-NUMBER T193

RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE 42

EXTENDED LINE COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. LOW-OIL/HIGH-WATER \$___ HORN, DUAL AIR \$__ BRAKES, AIR FULL (ABS) \$_ BRAKES, AIR COMPRESSOR 13.2 CFM MIN. \$ BRAKES, AIR DRYER \$_ BRAKES, AUTOMATIC MOISTURE EJECTOR \$_ BRAKES, AUTO SLACK ADJUSTER ALL WHEEL \$_ BRAKES, AIR DRYER \$__ BRAKES, AUTOMATIC MOISTURE EJECTOR \$_ BRAKES, AUTO SLACK ADJUSTER ALL WHEEL \$_ * AGENCIES MAY OPT TO LEAVE OFF ONE OR MORE OPTIONS. THE PURCHASE ORDER WILL REFLECT THE ACTUAL ORDER BEING PLACED. 00063 COMMODITY CODE: 070-51-065220 LT OPTIONS NOT LISTED, TRUCK CHASSIS, 44,000 AND > GVWR TO BE BILLED AT DEALER INVOICE PRICING ---- --END GROUPING LINES: 00061 - 00063 ----- GRP TOTAL ---- --- BEGIN GROUPING LINES: 00064 -----00064 COMMODITY CODE: 070-51-065221 CHASSIS, TRUCK, 40,000 AND GREATER, NEW LATEST MODEL TO INCLUDE ALL STANDARD EQUIPMENT FOR THE BASE MODEL WITH THE FOLLOWING MINIMUM SPECS: 1 EΑ STANDARD CAB . 193" 120" WHEEL BASE: APPX. CAB TO AXLE: 120 SINGLE AXLE EMISSIONS TECHNOLOGY: SCR _____ MODEL: _ 00065 COMMODITY CODE: 070-51-065222 OPTION PACKAGE, TRUCK CHASSIS, 40,000 1 LTAND > GVWR: FRONT AXLE W/POWER STEERING 14,000# \$_ REAR AXLES 1 SPEED 26000#

LINE

VENDOR NUMBER:

TTB NO. : 10-X-2218172 OPEN DATE : 07/15/10 TIME: 10:00 AM T-NUMBER : T193 INVITATION TO BID

RETURN DATE: 07/14/10 TIME: 5:00 PM

PAGE 43

EXTENDED

COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. CAPACITY \$___ TILT HOOD \$_ SET OF WESTERN MIRRORS 6"X16" W/5" CONVEX SPOT\$ SUN VISOR, RIGHT HAND \$_ AIR RIDE DRIVER'S HIGH BACK SEAT WITH FIXED ONE PASSENGER HIGH BACK SEAT \$ ALTERNATOR, 120 AMP MIN ... \$_ RADIO, AM/FM \$__ VENT, COWL \$___ CLEAR FRAME AFT OF CAB \$__ TOW HOOKS, FRONT \$___ ALARM, BACK UP MIN 90DBA .. \$_ DIESEL 300 HP 660 LB - FT TORQUE WET SLEEVE \$_ TRANSMISSION, ALLISON 3500RDS 5 SPEED AUTOMATIC \$ FRAME, RMB'S MIN 1,200,000# \$ FUEL TANK, 50 GALLON MIN, ALUMINUM W/ STEP \$_ SUSPENSION, FRONT 14000# .. \$___ SUSPENSION, REAR 26000# ... \$___ SPRING, AUXILIARY EACH SIDE \$_ TIRES, SIX RADIAL TO MEET GVWR\$_ REAR TIRES ON/OFF ROAD \$_ RIMS, SET OF SEVEN, 22.5X8.25 DISC 10 HOLE \$ AIR CONDITIONING WITH CAB INSULATION PACKAGE \$_ LONG LIFE COOLANT WITH PREMIUM HOSES, ENGINE FAN DRIVE, DIRECT DRIVE W/ 2-SPEED W/ RESIDUAL TORQUE DEVICE \$______ OIL FILLED FRONT HUBS \$_ TINTED GLASS \$_

VENDOR NUMBER:

ITB NO. : 10-X-2218172 OPEN DATE : 07/15/10 TIME: 10:00 AM T-NUMBER : T193 PAGE 44 INVITATION TO BID

RETURN DATE: 07/14/10 TIME: 5:00 PM

LINE EXTENDED COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. WIPER, INTERMITTENT \$___ ENGINE, ALARM SYSTEM FOR LOW-OIL/HIGH-WATER \$__ HORN, DUAL AIR \$___ BRAKES, AIR FULL (ABS) \$_ BRAKES, AIR COMPRESSOR 13.2 CFM MIN \$_ BRAKES, AIR DRYER \$_ BRAKES, AUTOMATIC MOISTURE EJECTOR \$_ BRAKES, AUTO SLACK ADJUSTER ALL WHEEL \$_ BRAKES, DUST SHIELDS \$_ BRAKES, RAISED OR REVERSED BRAKE CHAMBERS \$_ WIRING CONNECTION FOR BODIES \$_ CRUISE CONTROL, ENABLED TO FUNCTION @ 11 MPH \$ * AGENCIES MAY OPT TO LEAVE OFF ONE OR MORE OPTIONS. THE PURCHASE ORDER WILL REFLECT THE ACTUAL ORDER BEING PLACED. 00066 COMMODITY CODE: 070-51-065223 LT OPTIONS NOT LISTED, TRUCK CHASSIS, 40,000 AND > GVWR TO BE BILLED AT DEALER INVOICE PRICING ---- --END GROUPING LINES: 00064 - 00066 ----- GRP TOTAL

PAGE	TOTAL	
BID	TOTAL	